

Package: gets (via r-universe)

August 26, 2024

Type Package

Title General-to-Specific (GETS) Modelling and Indicator Saturation Methods

Version 0.38

Date 2024-07-11

Author Genaro Sucarrat [aut, cre], Felix Pretis [aut], James Reade [aut], Jonas Kurlle [ctb], Moritz Schwarz [ctb]

Maintainer Genaro Sucarrat <genaro.sucarrat@bi.no>

Description Automated General-to-Specific (GETS) modelling of the mean and variance of a regression, and indicator saturation methods for detecting and testing for structural breaks in the mean, see Pretis, Reade and Sucarrat (2018) <doi:10.18637/jss.v086.i03> for an overview of the package. In advanced use, the estimator and diagnostics tests can be fully user-specified, see Sucarrat (2021) <doi:10.32614/RJ-2021-024>.

License GPL (>= 2)

Depends R (>= 3.3.0), zoo, parallel

Imports methods

Suggests lgarch, xtable, Matrix, testthat

BugReports <https://github.com/gsucarrat/gets/issues>

URL <https://CRAN.R-project.org/package=gets>,
<http://www.sucarrat.net/R/gets/>

Config/testthat/edition 3

Repository <https://gsucarrat.r-universe.dev>

RemoteUrl <https://github.com/gsucarrat/gets>

RemoteRef HEAD

RemoteSha d846ee51c43ce09da124d66c74f59c6574011aa8

Contents

| | |
|------------------|----|
| gets-package | 3 |
| arx | 6 |
| as.arx | 9 |
| as.lm | 10 |
| biascorr | 11 |
| blocksFun | 13 |
| coef.arx | 16 |
| coef.gets | 19 |
| coef.isat | 23 |
| coef.larch | 26 |
| coef.logitx | 28 |
| diagnostics | 30 |
| distorttest | 32 |
| distorttestboot | 34 |
| dropvar | 36 |
| eqwma | 37 |
| ES | 39 |
| eviews | 40 |
| gets | 41 |
| gets.isat | 42 |
| gets.larch | 44 |
| gets.lm | 48 |
| gets.logitx | 49 |
| getsFun | 51 |
| getsm | 55 |
| gmm | 59 |
| hpdata | 61 |
| iim | 62 |
| infldata | 64 |
| infocrit | 65 |
| isat | 66 |
| isatdates | 71 |
| isatloop | 72 |
| isattest | 73 |
| isatvar | 76 |
| isatvarcorrect | 78 |
| isvarcor | 79 |
| isvareffcor | 80 |
| larch | 81 |
| larchEstfun | 84 |
| logit | 85 |
| logitx | 86 |
| logitxSim | 88 |
| mvrnormsim | 90 |
| ols | 91 |
| outlierscaletest | 92 |

| | |
|------------------------------|-----|
| outliertest | 93 |
| paths | 95 |
| periodicdummies | 96 |
| predict.arx | 97 |
| predict.larch | 101 |
| printtex | 103 |
| recursive | 105 |
| regressorsMean | 106 |
| regressorsVariance | 108 |
| so2data | 110 |
| sp500data | 111 |
| vargaugaiis | 112 |

Index**114**

| | |
|--------------|---|
| gets-package | <i>General-to-Specific (GETS) and Indicator Saturation (ISAT) Modelling</i> |
|--------------|---|

Description

The **gets** package provides functions and methods for General-to-Specific (GETS) and Indicator Saturation (ISAT) modelling. GETS modelling is a powerful and flexible variable selection algorithm that returns a parsimonious and interpretable model. It is ideally suited for the development of models that can be used for counterfactual and predictive scenario analysis (e.g. conditional forecasting). ISAT modelling provides a comprehensive, flexible and powerful approach to the identification of structural breaks and outliers.

The code of the package originated in relation with the research project G. Sucarrat and A. Escrivano (2012). In 2014, Felix Pretis and James Reade joined for the development of the [isat](#) code and related functions. Moritz Schwarz and Jonas Kurle joined the development team in 2020.

Details

Version: 0.38
 Date: 2024-07-11
 Licence: GPL-2

GETS modelling

In the package **gets**, GETS methods are available for the following model classes:

- Linear regression, both static and dynamic, see [arx](#), [gets.arx](#) and [gets.lm](#)

- Variance models, both static and dynamic, see [arx](#)
- Logit models, both static and dynamic, see [logitx](#) and [gets.logitx](#)

The function `arx` estimates a static linear regression, or a dynamic AR-X model with (optionally) a log-variance specification. The log-variance specification can either be static or a dynamic log-variance model with covariates (a 'log-ARCH-X' model). For the statistical details of the model, see Section 4 in Pretis, Reade and Sucarrat (2018). The function `logitx` estimates a static logit model, or a dynamic logit model with covariates (optionally). For complete user-specified GETS modelling, see [getsFun](#).

ISAT modelling

ISAT methods are available for:

- Linear regression, both static and dynamic, see [isat](#)

The `isat` function undertakes GETS model selection of an indicator saturated mean specification. Extraction functions (mainly S3 methods) are also available, together with additional auxiliary functions. For complete user-specified ISAT modelling, see [blocksFun](#).

Vignettes

Two vignettes are available in the package (type `browseVignettes("gets")` to access them):

- An introduction to the *gets* package
- User-Specified General-to-Specific (GETS) and Indicator Saturation (ISAT) Methods

The former is a mildly modified version of Pretis, Reade and Sucarrat (2018), whereas the latter is an updated version of Sucarrat (2020).

Author(s)

| | |
|------------------|---|
| Jonas Kurlle: | https://www.jonaskurle.com/ |
| Felix Pretis: | https://felixpretis.climateeconometrics.org/ |
| James Reade: | https://sites.google.com/site/jjamesreade/ |
| Moritz Schwarz: | https://www.inet.ox.ac.uk/people/moritz-schwarz |
| Genaro Sucarrat: | https://www.sucarrat.net/ |

Maintainer: Genaro Sucarrat

References

Jurgen A. Doornik, David F. Hendry, and Felix Pretis (2013): 'Step Indicator Saturation', Oxford Economics Discussion Paper, 658. <https://ideas.repec.org/p/oxf/wpaper/658.html>

Felix Pretis, James Reade and Genaro Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. Journal of Statistical Software 86, Number 3, pp. 1-44. [doi:10.18637/jss.v086.i03](https://doi.org/10.18637/jss.v086.i03)

Carlos Santos, David F. Hendry and Soren Johansen (2007): 'Automatic selection of indicators in a fully saturated regression'. Computational Statistics, vol 23:1, pp.317-335. [doi:10.1007/s00180-0070054z](https://doi.org/10.1007/s00180-0070054z)

Genaro Sucarrat (2020): 'User-Specified General-to-Specific and Indicator Saturation Methods'. The R Journal 12:2, pages 388-401. <https://journal.r-project.org/archive/2021/RJ-2021-024/>

Genaro Sucarrat and Alvaro Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', Oxford Bulletin of Economics and Statistics 74, Issue 5 (October), pp. 716-735.

See Also

[arx](#), [gets.arx](#), [getsm](#), [getsv](#), [isat](#), [getsFun](#), [blocksFun](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 60)

##Estimate an AR(2) with intercept as mean specification
##and a log-ARCH(4) as log-volatility specification:
myModel <- arx(y, mc=TRUE, ar=1:2, arch=1:4)

##GETS modelling of the mean of myModel:
simpleMean <- getsm(myModel)

##GETS modelling of the log-variance of myModel:
simpleVar <- getsv(myModel)

##results:
print(simpleMean)
print(simpleVar)

##step indicator saturation of an iid normal series:
set.seed(123)
y <- rnorm(30)
isat(y)
```

arx

*Estimate an AR-X model with log-ARCH-X errors***Description**

Estimation by OLS, two-step OLS if a variance specification is specified: In the first the mean specification (AR-X) is estimated, whereas in the second step the log-variance specification (log-ARCH-X) is estimated.

The AR-X mean specification can contain an intercept, AR-terms, lagged moving averages of the regressand and other conditioning covariates ('X'). The log-variance specification can contain log-ARCH terms, asymmetry or 'leverage' terms, log(EqWMA) where EqWMA is a lagged equally weighted moving average of past squared residuals (a volatility proxy) and other conditioning covariates ('X').

Usage

```
arx(y, mc=TRUE, ar=NULL, ewma=NULL, mxreg=NULL, vc=FALSE,
    arch=NULL, asym=NULL, log.ewma=NULL, vxreg=NULL, zero.adj=NULL,
    vc.adj=TRUE, vcov.type=c("ordinary", "white", "newey-west"),
    qstat.options=NULL, normality.JarqueB=FALSE, user.estimate=NULL,
    user.diagnostics=NULL, tol=1e-07, LAPACK=FALSE, singular.ok=TRUE,
    plot=NULL)
```

Arguments

| | |
|-------|---|
| y | numeric vector, time-series or zoo object. Missing values in the beginning and at the end of the series is allowed, as they are removed with the na.trim command |
| mc | logical. TRUE (default) includes an intercept in the mean specification, whereas FALSE does not |
| ar | either NULL (default) or an integer vector, say, <code>c(2,4)</code> or <code>1:4</code> . The AR-lags to include in the mean specification. If NULL, then no lags are included |
| ewma | either NULL (default) or a list with arguments sent to the eqwma function. In the latter case a lagged moving average of y is included as a regressor |
| mxreg | either NULL (default) or a numeric vector or matrix, say, a zoo object, of conditioning variables. Note that, if both y and mxreg are zoo objects, then their samples are chosen to match |
| vc | logical. TRUE includes an intercept in the log-variance specification, whereas FALSE (default) does not. If the log-variance specification contains any other item but the log-variance intercept, then vc is set to TRUE |
| arch | either NULL (default) or an integer vector, say, <code>c(1,3)</code> or <code>2:5</code> . The log-ARCH lags to include in the log-variance specification |
| asym | either NULL (default) or an integer vector, say, <code>c(1)</code> or <code>1:3</code> . The asymmetry (i.e. 'leverage') terms to include in the log-variance specification |

| | |
|--------------------------------|--|
| <code>log.ewma</code> | either NULL (default) or a vector of the lengths of the volatility proxies, see leqmma |
| <code>vxreg</code> | either NULL (default) or a numeric vector or matrix, say, a zoo object, of conditioning variables. If both <code>y</code> and <code>mxreg</code> are zoo objects, then their samples are chosen to match. |
| <code>zero.adj</code> | NULL (default) or a strictly positive numeric scalar. If NULL, the zeros in the squared residuals are replaced by the 10 percent quantile of the non-zero squared residuals. If <code>zero.adj</code> is a strictly positive numeric scalar, then this value is used to replace the zeros of the squared residuals. |
| <code>vc.adj</code> | logical. If TRUE (default), then the log-variance intercept is adjusted by the estimate of $E[\ln(z^2)]$, where z is the standardised error. This adjustment is needed for the conditional scale to be equal to the conditional standard deviation. If FALSE, then the log-variance intercept is not adjusted |
| <code>vcov.type</code> | character vector, "ordinary" (default), "white" or "newey-west". If "ordinary", then the ordinary variance-covariance matrix is used for inference. If "white", then the White (1980) heteroscedasticity-robust matrix is used. If "newey-west", then the Newey and West (1987) heteroscedasticity and autocorrelation-robust matrix is used |
| <code>qstat.options</code> | NULL (default) or an integer vector of length two, say, <code>c(1,1)</code> . The first value sets the lag-order of the AR diagnostic test, whereas the second value sets the lag-order of the ARCH diagnostic test. If NULL, then the two values of the vector are set automatically |
| <code>normality.JarqueB</code> | FALSE (default) or TRUE. If TRUE, then the results of the Jarque and Bera (1980) test for non-normality in the residuals are included in the estimation results. |
| <code>user.estimator</code> | NULL (default) or a list with one entry, <code>name</code> , containing the name of the user-defined estimator. Additional items, if any, are passed on as arguments to the estimator in question |
| <code>user.diagnostics</code> | NULL (default) or a list with two entries, <code>name</code> and <code>pval</code> , see the <code>user.fun</code> argument in diagnostics |
| <code>tol</code> | numeric value (default = $1e-07$). The tolerance for detecting linear dependencies in the columns of the regressors (see qr function). Only used if LAPACK is FALSE (default) and <code>user.estimator</code> is NULL. |
| LAPACK | logical. If TRUE, then use LAPACK. If FALSE (default), then use LINPACK (see qr function). Only used if <code>user.estimator</code> is NULL. |
| <code>singular.ok</code> | logical. If TRUE (default), the regressors are checked for singularity, and the ones causing it are automatically removed. |
| <code>plot</code> | NULL or logical. If TRUE, the fitted values and the residuals are plotted. If NULL (default), then the value set by options determines whether a plot is produced or not. |

Details

For an overview of the AR-X model with log-ARCH-X errors, see Pretis, Reade and Sucarrat (2018): [doi:10.18637/jss.v086.i03](https://doi.org/10.18637/jss.v086.i03).

The arguments `user.estimator` and `user.diagnostics` enables the specification of user-defined estimators and user-defined diagnostics. To this end, the principles of the same arguments in `getsFun` are followed, see its documentation under "Details", and Sucarrat (2020): <https://journal.r-project.org/archive/2021/RJ-2021-024/>.

Value

A list of class 'arx'

Author(s)

Jonas Kurle: <https://www.jonaskurle.com/>
Moritz Schwarz: <https://www.inet.ox.ac.uk/people/moritz-schwarz>
Genaro Sucarrat: <https://www.sucarrat.net/>

References

C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259. doi:10.1016/01651765(80)900245

Felix Pretis, James Reade and Genaro Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44. doi:10.18637/jss.v086.i03

Genaro Sucarrat (2020): 'User-Specified General-to-Specific and Indicator Saturation Methods'. *The R Journal* 12:2, pages 388-401. <https://journal.r-project.org/archive/2021/RJ-2021-024/>

Halbert White (1980): 'A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity', *Econometrica* 48, pp. 817-838.

Whitney K. Newey and Kenned D. West (1987): 'A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix', *Econometrica* 55, pp. 703-708.

See Also

Extraction functions (mostly S3 methods): [coef.arx](#), [ES](#), [fitted.arx](#), [plot.arx](#), [print.arx](#), [recursive](#), [residuals.arx](#), [sigma.arx](#), [rsquared](#), [summary.arx](#), [VaR](#) and [vcov.arx](#)

Related functions: [getsm](#), [getsv](#), [isat](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 70)

##estimate an AR(2) with intercept:
arx(y, mc=TRUE, ar=1:2)
```



```

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*70), 70, 4)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean:
arx(y, ar=1:2, mxreg=xregs)

##estimate a log-variance specification with a log-ARCH(4)
##structure:
arx(y, mc=FALSE, arch=1:4)

##estimate a log-variance specification with a log-ARCH(4)
##structure and an asymmetry/leverage term:
arx(y, mc=FALSE, arch=1:4, asym=1)

##estimate a log-variance specification with a log-ARCH(4)
##structure, an asymmetry or leverage term, a 10-period log(EWMA) as
##volatility proxy, and the log of the squareds of the conditioning
##regressors in the log-variance specification:
arx(y, mc=FALSE,
     arch=1:4, asym=1, log.ewma=list(length=10), vxreg=log(xregs^2))

##estimate an AR(2) with intercept and four conditioning regressors
##in the mean, and a log-variance specification with a log-ARCH(4)
##structure, an asymmetry or leverage term, a 10-period log(EWMA) as
##volatility proxy, and the log of the squareds of the conditioning
##regressors in the log-variance specification:
arx(y, ar=1:2, mxreg=xregs,
     arch=1:4, asym=1, log.ewma=list(length=10), vxreg=log(xregs^2))

```

as.arx

Convert an object to class 'arx'

Description

The function `as.arx` is a generic function and its methods returns an object of class `arx`.

Usage

```
as.arx(object, ...)
```

```

##S3 method for objects of class 'lm':
## S3 method for class 'lm'
as.arx(object, ...)

```

Arguments

| | |
|---------------------|---|
| <code>object</code> | object of class <code>lm</code> |
| <code>...</code> | arguments passed on to and from other methods |

Value

Object of class `arx`

Author(s)

Genaro Sucarrat <http://www.sucarrat.net/>

See Also

`lm`, `arx`

Examples

```
##generate some data:
set.seed(123) #for reproducibility
y <- rnorm(30) #generate Y
x <- matrix(rnorm(30*10), 30, 10) #create matrix of Xs

##typical situation:
mymodel <- lm(y ~ x)
as.arx(mymodel)

##use hetero-robust vcov:
as.arx(mymodel, vcov.type="white")

##add ar-dynamics:
as.arx(mymodel, ar=1:2)

##add log-variance specification:
as.arx(mymodel, arch=1:2)
```

`as.lm`

Convert to 'lm' object

Description

Convert 'arx'/'gets'/'isat' object to 'lm' object

Usage

```
as.lm(object)
```

Arguments

object object of class `arx`, `gets` or `isat`

Value

Object of class `lm`

Author(s)

Moritz Schwarz, <https://www.inet.ox.ac.uk/people/moritz-schwarz>
Genaro Sucarrat <https://www.sucarrat.net/>

See Also

[arx](#), [gets](#), [isat](#), [lm](#)

Examples

```
##generate data, estimate model of class 'arx':
set.seed(123)
y <- rnorm(30)
arxmod <- arx(y, mc=TRUE, ar=1:3)
as.lm(arxmod)

##from 'gets' to 'lm':
getsmod <- getsm(arxmod, keep=1)
as.lm(getsmod)

##from 'isat' to 'lm':
isatmod <- isat(y)
as.lm(isatmod)
```

biacorr

Bias-correction of coefficients following general-to-specific model selection

Description

Takes a vector of coefficients (valid for orthogonal variables), their standard errors, the significance level the variables were selected at, and the sample size, to return bias-corrected coefficient estimates to account for the bias induced by model selection.

Usage

```
biacorr(b, b.se, p.alpha, T)
```

Arguments

| | |
|---------|---|
| b | a $K \times 1$ vector of coefficients. |
| b.se | a $K \times 1$ vector of standard errors of the coefficients in 'b'. |
| p.alpha | numeric value between 0 and 1, the significance level at which selection was conducted. |
| T | integer, the sample size of the original model selection regression. |

Details

The function computes the bias-corrected estimates of coefficients in regression models post general-to-specific model selection using the approach by Hendry and Krolzig (2005). The results are valid for orthogonal regressors only. Bias correction can be applied to the coefficient path in `isat` models where the only additional covariate besides indicators is an intercept - see Pretis (2015).

Value

Returns a $K \times 3$ matrix, where the first column lists the original coefficients, the second column the one-step corrected coefficients, and the third column the two-step bias-corrected coefficients.

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

- Hendry, D.F. and Krolzig, H.M. (2005): 'The properties of automatic Gets modelling'. *Economic Journal*, 115, C32-C61.
- Pretis, F. (2015): 'Testing for time-varying predictive accuracy using bias-corrected indicator saturation'. Oxford Department of Economics Discussion Paper.
- Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

See Also

[isat](#), [coef.gets](#), [plot.gets](#), [isatvar](#), [isattest](#)

Examples

```
###Bias-correction of the coefficient path of the Nile data
#nile <- as.zoo(Nile)
#isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)
#var <- isatvar(isat.nile)
#biascorr(b=var$const.path, b.se=var$const.se, p.alpha=0.005, T=length(var$const.path))

##Bias-correction of the coefficient path on artificial data
#set.seed(123)
#d <- matrix(0,100,1)
```

```
#d[35:55] <- 1
#e <- rnorm(100, 0, 1)
#y <- d*1 +e

#ys <- isat(y, sis=TRUE, iis=FALSE, t.pval=0.01)
#var <- isatvar(ys)
#biascorr(b=var$const.path, b.se=var$const.se, p.alpha=0.01, T=length(var$const.path))
```

blocksFun

Block-based General-to-Specific (GETS) modelling

Description

Auxiliary function (i.e. not intended for the average user) that enables block-based GETS-modelling with user-specified estimator, diagnostics and goodness-of-fit criterion.

Usage

```
blocksFun(y, x, untransformed.residuals=NULL, blocks=NULL,
  no.of.blocks=NULL, max.block.size=30, ratio.threshold=0.8,
  gets.of.union=TRUE, force.invertibility=FALSE,
  user.estimator=list(name="ols"), t.pval=0.001, wald.pval=t.pval,
  do.pet=FALSE, ar.LjungB=NULL, arch.LjungB=NULL, normality.JarqueB=NULL,
  user.diagnostics=NULL, gof.function=list(name="infocrit"),
  gof.method=c("min", "max"), keep=NULL, include.gum=FALSE,
  include.1cut=FALSE, include.empty=FALSE, max.paths=NULL,
  turbo=FALSE, parallel.options=NULL, tol=1e-07, LAPACK=FALSE,
  max.regs=NULL, print.searchinfo=TRUE, alarm=FALSE)
```

Arguments

| | |
|--------------------------------------|---|
| <code>y</code> | a numeric vector (with no missing values, i.e. no non-numeric 'holes') |
| <code>x</code> | a matrix, or a list of matrices |
| <code>untransformed.residuals</code> | NULL (default) or, when <code>ols</code> is used with <code>method=6</code> in <code>user.estimator</code> , a numeric vector containing the untransformed residuals |
| <code>blocks</code> | NULL (default) or a list of lists with vectors of integers that indicate how blocks should be put together. If NULL, then the block composition is undertaken automatically by an internal algorithm that depends on <code>no.of.blocks</code> , <code>max.block.size</code> and <code>ratio.threshold</code> |
| <code>no.of.blocks</code> | NULL (default) or integer. If NULL, then the number of blocks is determined automatically by an internal algorithm |
| <code>max.block.size</code> | integer that controls the size of blocks |
| <code>ratio.threshold</code> | numeric between 0 and 1 that controls the minimum ratio of variables in each block to total observations |

| | |
|----------------------------------|---|
| <code>gets.of.union</code> | logical. If TRUE (default), then GETS modelling is undertaken of the union of retained variables. Otherwise it is not |
| <code>force.invertibility</code> | logical. If TRUE, then the x-matrix is ensured to have full row-rank before it is passed on to getsFun |
| <code>user.estimate</code> | list, see getsFun for the details |
| <code>t.pval</code> | numeric value between 0 and 1. The significance level used for the two-sided coefficient significance t-tests |
| <code>wald.pval</code> | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs) |
| <code>do.pet</code> | logical. If TRUE, then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each variable removal for the joint significance of all the deleted regressors along the current GETS path. If FALSE, then a PET is not undertaken at each removal |
| <code>ar.LjungB</code> | a two element vector, or NULL. In the former case, the first element contains the AR-order, the second element the significance level. If NULL, then a test for autocorrelation in the residuals is not conducted |
| <code>arch.LjungB</code> | a two element vector, or NULL. In the former case, the first element contains the ARCH-order, the second element the significance level. If NULL, then a test for ARCH in the residuals is not conducted |
| <code>normality.JarqueB</code> | NULL or a numeric value between 0 and 1. In the latter case, a test for non-normality in the residuals is conducted using a significance level equal to <code>normality.JarqueB</code> . If NULL, then no test for non-normality is conducted |
| <code>user.diagnostics</code> | NULL (default) or a list with two entries, name and pval. See getsFun for the details |
| <code>gof.function</code> | list. The first item should be named name and contain the name (a character) of the Goodness-of-Fit (GOF) function used. Additional items in the list <code>gof.function</code> are passed on as arguments to the GOF-function. . See getsFun for the details |
| <code>gof.method</code> | character. Determines whether the best Goodness-of-Fit is a minimum (default) or maximum |
| <code>keep</code> | NULL (default), vector of integers or a list of vectors of integers. In the latter case, the number of vectors should be equal to the number of matrices in x |
| <code>include.gum</code> | logical. If TRUE, then the GUM (i.e. the starting model) is included among the terminal models |
| <code>include.1cut</code> | logical. If TRUE, then the 1-cut model is added to the list of terminal models |
| <code>include.empty</code> | logical. If TRUE, then the empty model is added to the list of terminal models |
| <code>max.paths</code> | NULL (default) or integer greater than 0. If NULL, then there is no limit to the number of paths. If integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path) |
| <code>turbo</code> | logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily in each GETS modelling. Setting turbo to TRUE entails a small additional computational costs, but may be outweighed substantially if estimation is slow, or if the number of variables to delete in each path is large |

| | |
|------------------|---|
| parallel.options | NULL or integer that indicates the number of cores/threads to use for parallel computing (implemented w/makeCluster and parLapply) |
| tol | numeric value, the tolerance for detecting linear dependencies in the columns of the variance-covariance matrix when computing the Wald-statistic used in the Parsimonious Encompassing Tests (PETs), see the qr.solve function |
| LAPACK | currently not used |
| max.regs | integer. The maximum number of regressions along a deletion path. Do not alter unless you know what you are doing! |
| print.searchinfo | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started |
| alarm | logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends |

Details

blocksFun undertakes block-based GETS modelling by a repeated but structured call to getsFun. For the details of how to user-specify an estimator via user.estimator, diagnostics via user.diagnostics and a goodness-of-fit function via gof.function, see documentation of [getsFun](#) under "Details".

The algorithm of blocksFun is similar to that of [isat](#), but more flexible. The main use of blocksFun is the creation of user-specified methods that employs block-based GETS modelling, e.g. indicator saturation techniques.

Value

A [list](#) with the results of the block-based GETS-modelling.

Author(s)

Genaro Sucarrat, with contributions from Jonas kurle, Felix Pretis and James Reade

References

F. Pretis, J. Reade and G. Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. Journal of Statistical Software 86, Number 3, pp. 1-44

G. sucarrat (2020): 'User-Specified General-to-Specific and Indicator Saturation Methods'. The R Journal 12 issue 2, pp. 388-401, <https://journal.r-project.org/archive/2021/RJ-2021-024/>

See Also

[getsFun](#), [ols](#), [diagnostics](#), [infocrit](#) and [isat](#)

Examples

```
## more variables than observations:
y <- rnorm(20)
x <- matrix(rnorm(length(y)*40), length(y), 40)
blocksFun(y, x)

## 'x' as list of matrices:
z <- matrix(rnorm(length(y)*40), length(y), 40)
blocksFun(y, list(x,z))

## ensure regressor no. 3 in matrix no. 2 is not removed:
blocksFun(y, list(x,z), keep=list(integer(0), 3))
```

coef.arx

*Extraction functions for 'arx' objects***Description**

Extraction functions for objects of class 'arx'

Usage

```
## S3 method for class 'arx'
coef(object, spec=NULL, ...)
## S3 method for class 'arx'
fitted(object, spec=NULL, ...)
## S3 method for class 'arx'
logLik(object, ...)
## S3 method for class 'arx'
model.matrix(object, spec=c("mean", "variance"), response=FALSE, as.zoo=TRUE, ...)
## S3 method for class 'arx'
nobs(object, spec=NULL, ...)
## S3 method for class 'arx'
plot(x, spec=NULL, col=c("red", "blue"),
     lty=c("solid", "solid"), lwd=c(1,1), ...)
## S3 method for class 'arx'
print(x, signif.stars=TRUE, ...)
## S3 method for class 'arx'
residuals(object, std=FALSE, ...)
## S3 method for class 'arx'
sigma(object, ...)
## S3 method for class 'arx'
summary(object, ...)
## S3 method for class 'arx'
vcov(object, spec=NULL, ...)
```


Arguments

| | |
|--------------|---|
| object | an object of class 'arx' |
| x | an object of class 'arx' |
| spec | NULL, "mean", "variance" or, in some instances, "both". When NULL is a valid value, then it is automatically determined whether information pertaining to the mean or variance specification should be returned |
| response | logical. If TRUE, then the response is included in the first column |
| as.zoo | logical. If TRUE (default), then the returned matrix is of class <code>zoo</code> |
| signif.stars | logical. If TRUE, then p-values are additionally encoded visually, see <code>printCoefmat</code> |
| std | logical. If FALSE (default), then the mean residuals are returned. If TRUE, then the standardised residuals are returned |
| col | colours of actual (default=blue) and fitted (default=red) lines |
| lty | types of actual (default=solid) and fitted (default=solid) lines |
| lwd | widths of actual (default=1) and fitted (default=1) lines |
| ... | additional arguments |

Value

| | |
|---------------|--|
| coef: | a numeric vector containing parameter estimates |
| fitted: | a <code>zoo</code> object with fitted values |
| logLik: | log-likelihood (normal density) |
| model.matrix: | a matrix with the regressors and, optionally, the response |
| nobs: | the number of observations |
| plot: | a plot of the fitted values and the residuals |
| print: | a print of the estimation results |
| residuals: | a <code>zoo</code> object with the residuals |
| sigma: | the regression standard error ('SE of regression') |
| summary: | a print of the items in the <code>arx</code> object |
| vcov: | variance-covariance matrix |

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>
 James Reade, <https://sites.google.com/site/jjamesreade/>
 Moritz Schwarz, <https://www.inet.ox.ac.uk/people/moritz-schwarz>
 Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[arx](#)

Examples

```
##simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 40)

##simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*40), 40, 4)

##estimate an 'arx' model: An AR(2) with intercept and four conditioning
##regressors in the mean, and log-ARCH(3) in the variance:
mymod <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:3)

##print results:
print(mymod)

##plot the fitted vs. actual values, and the residuals:
plot(mymod)

##print the entries of object 'mymod':
summary(mymod)

##extract coefficient estimates (automatically determined):
coef(mymod)

##extract mean coefficients only:
coef(mymod, spec="mean")

##extract log-variance coefficients only:
coef(mymod, spec="variance")

##extract all coefficient estimates:
coef(mymod, spec="both")

##extract regression standard error:
sigma(mymod)

##extract log-likelihood:
logLik(mymod)

##extract variance-covariance matrix of mean equation:
vcov(mymod)

##extract variance-covariance matrix of log-variance equation:
vcov(mymod, spec="variance")

##extract and plot the fitted mean values (automatically determined):
mfit <- fitted(mymod)
plot(mfit)

##extract and plot the fitted variance values:
vfit <- fitted(mymod, spec="variance")
plot(vfit)
```

```

##extract and plot both the fitted mean and variance values:
vfit <- fitted(mymod, spec="both")
plot(vfit)

##extract and plot the fitted mean values:
vfit <- fitted(mymod, spec="mean")
plot(vfit)

##extract and plot residuals:
epshat <- residuals(mymod)
plot(epshat)

##extract and plot standardised residuals:
zhat <- residuals(mymod, std=TRUE)
plot(zhat)

```

coef.gets

Extraction functions for 'gets' objects

Description

Extraction functions for objects of class 'gets'

Usage

```

## S3 method for class 'gets'
coef(object, spec=NULL, ...)
## S3 method for class 'gets'
fitted(object, spec=NULL, ...)
## S3 method for class 'gets'
logLik(object, ...)
## S3 method for class 'gets'
plot(x, spec=NULL, col=c("red","blue"),
     lty=c("solid","solid"), lwd=c(1,1), ...)
## S3 method for class 'gets'
predict(object, spec=NULL, n.ahead=12, newmxreg=NULL,
        newvxreg=NULL, newindex=NULL, n.sim=5000, innov=NULL, probs=NULL,
        ci.levels=NULL, quantile.type=7, return=TRUE, verbose=FALSE, plot=NULL,
        plot.options=list(), ...)
## S3 method for class 'gets'
print(x, signif.stars=TRUE, ...)
## S3 method for class 'gets'
residuals(object, std=NULL, ...)
## S3 method for class 'gets'
sigma(object, ...)
## S3 method for class 'gets'

```

```
summary(object, ...)
## S3 method for class 'gets'
vcov(object, spec=NULL, ...)
```

Arguments

| | |
|---------------|---|
| object | an object of class 'gets' |
| x | an object of class 'gets' |
| spec | NULL, "mean", "variance" or, in some instances, "both". When NULL is a valid value, then it is automatically determined whether information pertaining to the mean or variance specification should be returned |
| signif.stars | logical. If TRUE, then p-values are additionally encoded visually, see printCoefmat |
| std | logical. If FALSE (default), then the mean residuals are returned. If TRUE, then the standardised residuals are returned |
| n.ahead | integer that determines how many steps ahead predictions should be generated (the default is 12) |
| newmxreg | a matrix of n.ahead rows and NCOL(mxreg) columns with the out-of-sample values of the mxreg regressors |
| newvxreg | a matrix of n.ahead rows and NCOL(vxreg) columns with the out-of-sample values of the vxreg regressors |
| newindex | NULL (default) or the date-index for the zoo object returned by <code>predict.arx</code> . If NULL, then the function uses the in-sample index to generate the out-of-sample index |
| n.sim | integer, the number of replications used for the generation of the forecasts |
| innov | NULL (default) or a vector of length $n.ahead * n.sim$ containing the standardised errors (that is, zero mean and unit variance) used for the forecast simulations. If NULL, then a classical bootstrap procedure is used to draw from the standardised in-sample residuals |
| probs | NULL (default) or a vector with the quantile-levels (values strictly between 0 and 1) of the forecast distribution. If NULL, then no quantiles are returned unless <code>ci.levels</code> is non-NULL |
| ci.levels | NULL (default) or a vector with the confidence levels (expressed as values strictly between 0 and 1) of the forecast distribution. The upper and lower values of the confidence interval(s) are returned as quantiles |
| quantile.type | an integer between 1 and 9 that selects which algorithm to be used in computing the quantiles, see the argument <code>type</code> in quantile |
| return | logical. If TRUE (default), then the out-of-sample predictions are returned. The value FALSE, which does not return the predictions, may be of interest if only a prediction plot is of interest |
| verbose | logical with default FALSE. If TRUE, then additional information (typically the quantiles and/or the simulated series) used in the generation of forecasts is returned. If FALSE, then only the forecasts are returned |
| plot | NULL (default) or logical. If NULL, then the value set by <code>options\$plot</code> (see options) determines whether a plot is produced or not. If TRUE, then the out-of-sample forecasts are plotted. |

| | |
|--------------|---|
| plot.options | a list of options related to the plotting of forecasts, see 'Details' |
| col | colours of fitted (default=red) and actual (default=blue) lines |
| lty | types of fitted (default=solid) and actual (default=solid) lines |
| lwd | widths of fitted (default=1) and actual (default=1) lines |
| ... | additional arguments |

Details

The `plot.options` argument is a list that controls the prediction plot, see 'Details' in [predict.arx](#)

Value

| | |
|------------|--|
| coef: | a numeric vector containing parameter estimates |
| fitted: | a <code>zoo</code> object with fitted values |
| logLik: | a numeric, the log-likelihood (normal density) |
| plot: | a plot of the fitted values and the residuals |
| predict: | a vector of class <code>zoo</code> containing the out-of-sample forecasts, or a matrix of class <code>zoo</code> containing the out-of-sample forecasts together with prediction-quantiles, or - if <code>return=FALSE</code> - NULL |
| print: | a print of the estimation results |
| residuals: | a <code>zoo</code> object with the residuals |
| sigma: | the regression standard error ('SE of regression') |
| summary: | a print of the items in the <code>gets</code> object |
| vcov: | a variance-covariance matrix |

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>
 James Reade, <https://sites.google.com/site/jjamesreade/>
 Moritz Schwarz, <https://www.inet.ox.ac.uk/people/moritz-schwarz>
 Genaro Sucarrat, <https://www.sucarrat.net/>

See Also

[getsm](#), [getsv](#), [isat](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 100)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*100), 100, 4)

##estimate an AR(2) with intercept and four conditioning
```

```
##regressors in the mean, and a log-ARCH(3) in the variance:
mymod <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:3)

##General-to-Specific (GETS) model selection of the mean:
meanmod <- getsm(mymod)

##General-to-Specific (GETS) model selection of the variance:
varmod <- getsv(mymod)

##print results:
print(meanmod)
print(varmod)

##plot the fitted vs. actual values, and the residuals:
plot(meanmod)
plot(varmod)

##generate and plot predictions of the mean:
predict(meanmod, plot=TRUE)

##print the entries of object 'gets':
summary(meanmod)
summary(varmod)

##extract coefficients of the simplified (specific) model:
coef(meanmod) #mean spec
coef(varmod) #variance spec

##extract log-likelihood:
logLik(mymod)

##extract coefficient-covariance matrix of simplified
##(specific) model:
vcov(meanmod) #mean spec
vcov(varmod) #variance spec

##extract and plot the fitted values:
mfit <- fitted(meanmod) #mean fit
plot(mfit)
vfit <- fitted(varmod) #variance fit
plot(vfit)

##extract and plot residuals:
epshat <- residuals(meanmod)
plot(epshat)

##extract and plot standardised residuals:
zhat <- residuals(varmod)
plot(zhat)
```

coef.isat

*Extraction functions for 'isat' objects***Description**

Extraction functions for objects of class 'isat'

Usage

```
## S3 method for class 'isat'
coef(object, ...)
## S3 method for class 'isat'
fitted(object, ...)
## S3 method for class 'isat'
logLik(object, ...)
## S3 method for class 'isat'
plot(x, col=c("red","blue"), lty=c("solid","solid"),
     lwd=c(1,1), coef.path=TRUE, ...)
## S3 method for class 'isat'
predict(object, n.ahead=12, newmxreg=NULL, newindex=NULL,
        n.sim=2000, probs=NULL, ci.levels=NULL, quantile.type=7,
        return=TRUE, verbose=FALSE, plot=NULL, plot.options=list(), ...)
## S3 method for class 'isat'
print(x, signif.stars=TRUE, ...)
## S3 method for class 'isat'
residuals(object, std=FALSE, ...)
## S3 method for class 'isat'
sigma(object, ...)
## S3 method for class 'isat'
summary(object, ...)
## S3 method for class 'isat'
vcov(object, ...)
```

Arguments

| | |
|----------|--|
| object | an object of class 'isat' |
| x | an object of class 'isat' |
| std | logical. If FALSE (default), then the mean residuals are returned. If TRUE, then the standardised residuals are returned |
| n.ahead | integer that determines how many steps ahead predictions should be generated (the default is 12) |
| newmxreg | a matrix of n.ahead rows and NCOL(mxreg) columns with the out-of-sample values of the mxreg regressors |
| newindex | NULL (default) or the date-index for the zoo object returned by predict.arx. If NULL, then the function uses the in-sample index to generate the out-of-sample index |

| | |
|---------------|--|
| n.sim | integer, the number of replications used for the generation of the forecasts |
| probs | NULL (default) or a vector with the quantile-levels (values strictly between 0 and 1) of the forecast distribution. If NULL, then no quantiles are returned unless ci.levels is non-NULL |
| ci.levels | NULL (default) or a vector with the confidence levels (expressed as values strictly between 0 and 1) of the forecast distribution. The upper and lower values of the confidence interval(s) are returned as quantiles |
| quantile.type | an integer between 1 and 9 that selects which algorithm to be used in computing the quantiles, see the argument type in quantile |
| return | logical. If TRUE (default), then the out-of-sample predictions are returned. The value FALSE, which does not return the predictions, may be of interest if only a prediction plot is of interest |
| verbose | logical with default FALSE. If TRUE, then additional information (typically the quantiles and/or the simulated series) used in the generation of forecasts is returned. If FALSE, then only the forecasts are returned |
| plot | NULL (default) or logical. If NULL, then the value set by options\$plot (see options) determines whether a plot is produced or not. If TRUE, then the out-of-sample forecasts are plotted. |
| plot.options | a list of options related to the plotting of forecasts, see 'Details' |
| col | colours of fitted (default=red) and actual (default=blue) lines |
| lty | types of fitted (default=solid) and actual (default=solid) lines |
| lwd | widths of fitted (default=1) and actual (default=1) lines |
| coef.path | logical. Only applicable if there are retained indicators after the application of isat |
| signif.stars | logical. If TRUE, then p-values are additionally encoded visually, see printCoefmat |
| ... | additional arguments |

Details

The plot.options argument is a list that controls the prediction plot, see 'Details' in [predict.arx](#)

Value

| | |
|------------|---|
| coef: | numeric vector containing parameter estimates |
| fitted: | a zoo object with fitted values |
| logLik: | a numeric, the log-likelihood (normal density) |
| plot: | plot of the fitted values and the residuals |
| predict: | a vector of class zoo containing the out-of-sample forecasts, or a matrix of class zoo containing the out-of-sample forecasts together with prediction-quantiles, or - if return=FALSE - NULL |
| print: | a print of the estimation results |
| residuals: | a zoo object with the residuals |
| sigma: | the regression standard error ('SE of regression') |
| summary: | a print of the items in the isat object |
| vcov: | variance-covariance matrix |

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>
James Reade, <https://sites.google.com/site/jjamesreade/>
Moritz Schwarz, <https://www.inet.ox.ac.uk/people/moritz-schwarz>
Genaro Sucarrat, <https://www.sucarrat.net/>

See Also

[paths](#), [terminals](#), [coef.gets](#), [getsm](#), [arx](#)

Examples

```
##step indicator saturation:
set.seed(123)
y <- rnorm(30)
isatmod <- isat(y)

##print results:
print(isatmod)

##plot the fitted vs. actual values, and the residuals:
plot(isatmod)

##print the entries of object 'isatmod':
summary(isatmod)

##extract coefficients of the simplified (specific) model:
coef(isatmod)

##extract log-likelihood:
logLik(isatmod)

##extract the coefficient-covariance matrix of simplified
##(specific) model:
vcov(isatmod)

##extract and plot the fitted values:
mfit <- fitted(isatmod)
plot(mfit)

##extract and plot (mean) residuals:
epshat <- residuals(isatmod)
plot(epshat)

##extract and plot standardised residuals:
zhat <- residuals(isatmod, std=TRUE)
plot(zhat)

##generate forecasts of the simplified (specific) model:
predict(isatmod, newmxreg=matrix(1,12,1), plot=TRUE)
```

coef.larch

*Methods and extraction functions for 'larch' objects***Description**

Methods and extraction functions for 'larch' objects

Usage

```
## S3 method for class 'larch'
coef(object, ...)
## S3 method for class 'larch'
fitted(object, ...)
## S3 method for class 'larch'
logLik(object, ...)
## S3 method for class 'larch'
model.matrix(object, response=FALSE, as.zoo=TRUE, ...)
## S3 method for class 'larch'
nobs(object, ...)
## S3 method for class 'larch'
plot(x, col=c("red","blue"), lty=c("solid","solid"),
     lwd=c(1,1), ...)
## S3 method for class 'larch'
print(x, signif.stars=TRUE, verbose=FALSE, ...)
## S3 method for class 'larch'
residuals(object, ...)
## S3 method for class 'larch'
summary(object, ...)
## S3 method for class 'larch'
toLatex(object, ...)
## S3 method for class 'larch'
vcov(object, ...)
```

Arguments

| | |
|--------------|---|
| object | an object of class 'larch' |
| x | an object of class 'larch' |
| response | logical. If FALSE (default), the returned object does not contain the response ($\log(e^2)$) used in the estimation |
| as.zoo | logical. If TRUE (default), the returned object is of class <code>zoo</code> |
| col | a character vector of length two with the colours of actual (default=blue) and fitted (default=red) lines |
| lty | types of actual (default=solid) and fitted (default=solid) lines |
| lwd | widths of actual (default=1) and fitted (default=1) lines |
| signif.stars | logical. If TRUE, then p-values are additionally encoded visually, see printCoefmat |

verbose logical. If TRUE, and if x is the results of GETS modelling, then additional information pertaining to the GETS modelling is printed

... additional arguments

Value

coef: a vector containing the parameter estimates

fitted: a `zoo` object with fitted values

logLik: the log-likelihood (normal density)

model.matrix: the model matrix (see `model.matrix`) of class `zoo` (default) of the model

nobs: the number of observations

plot: a plot of the fitted values and the residuals

print: a print of the estimation results and, if verbose=TRUE and x is the result of GETS modelling, additional information pertaining to the GETS modelling

residuals: a `zoo` object with the standardised residuals

summary: a print of the items in the `larch` object

toLatex: a LaTeX print of the estimation results (equation format)

vcov: variance-covariance matrix

Author(s)

Genaro Sucarrat, <https://www.sucarrat.net/>

See Also

[larch](#), [zoo](#)

Examples

```
##simulate some data:
set.seed(123)
e <- rnorm(40)
x <- matrix(rnorm(40*2), 40, 2)

##estimate a log-ARCH(3)-X model:
mymod <- larch(e, arch=1:3, vxreg=x)

##print results:
print(mymod)

##LaTeX print of the estimation results (equation format):
toLatex(mymod)

##plot the fitted vs. actual values, and the standardised residuals:
plot(mymod)

##extract coefficient estimates (automatically determined):
coef(mymod)
```

```

##extract the fitted values:
fitted(mymod)

##extract the standardised residuals:
residuals(mymod)

##extract variance-covariance matrix:
vcov(mymod)

##extract log-likelihood (based on the normal density):
logLik(mymod)

##extract the model matrix of the model:
model.matrix(mymod)

##print the entries of object 'mymod':
summary(mymod)

```

coef.logitx

Extraction functions for 'logitx' objects

Description

Extraction functions (of type S3 methods) for objects of class 'logitx'

Usage

```

## S3 method for class 'logitx'
coef(object, ...)
## S3 method for class 'logitx'
fitted(object, zero.prob=FALSE, ...)
## S3 method for class 'logitx'
logLik(object, ...)
## S3 method for class 'logitx'
plot(x, ...)
## S3 method for class 'logitx'
print(x, signif.stars=TRUE, ...)
## S3 method for class 'logitx'
summary(object, ...)
## S3 method for class 'logitx'
toLatex(object, digits = 4, gof = TRUE, nonumber = FALSE, nobs = "T", ...)
## S3 method for class 'logitx'
vcov(object, ...)

```

Arguments

| | |
|--------------|--|
| object | an object of class 'logitx' |
| x | an object of class 'logitx' |
| zero.prob | logical. If FALSE (default), then the probabilities of a one are returned as fitted values. If TRUE, then the zero probabilities are returned as fitted values |
| signif.stars | logical. If TRUE, then p-values are additionally encoded visually, see printCoefmat |
| digits | integer, the number of digits in the LaTeX print |
| gof | logical that determines whether goodness-of-fit information should be included in the LaTeX print |
| nonumber | logical that determines whether a "nonumber" tag should be added to each equation in the LaTeX print |
| nobs | character that determines the label for the number of observations in the LaTeX print |
| ... | additional arguments |

Value

Various, depending on the method

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[logitx](#), [logitxSim](#), [gets.logitx](#)

Examples

```
##simulate from ar(1):
set.seed(123) #for reproducibility
y <- logitxSim(100, ar=0.3)

##estimate and store result:
mymod <- logitx(y, ar=1)

##extract stuff:
coef(mymod)
fitted(mymod)
logLik(mymod)
plot(mymod)
print(mymod)
summary(mymod)
toLatex(mymod)
```

diagnostics

*Diagnostics tests***Description**

Auxiliary function (i.e. not intended for the average user) called by the `arx`, `getsm`, `getsv`, `isat`, `getsFun` and `blocksFun` functions. The `diagnostics` function undertakes tests for autocorrelation, ARCH and non-normality in a residual series, and user-defined diagnostics provided via the `user.fun` argument (see details). The autocorrelation and ARCH tests are conducted as Ljung and Box (1979) tests for autocorrelation in the residuals and squared residuals, respectively, whereas the test for non-normality is that of Jarque and Bera (1980).

Usage

```
diagnostics(x, ar.LjungB=c(1, 0.025), arch.LjungB=c(1, 0.025),
            normality.JarqueB=NULL, verbose=TRUE, user.fun=NULL, ...)
```

Arguments

| | |
|--------------------------------|---|
| <code>x</code> | a list , for example the estimation result of <code>ols</code> . The tests for serial correlation, ARCH and normality look for an entry in the list named <code>std.residuals</code> or <code>residuals</code> |
| <code>ar.LjungB</code> | a two element vector or <code>NULL</code> . In the former case, the first element contains the AR-order, the second element the significance level. If <code>NULL</code> , then a test for autocorrelation is not conducted |
| <code>arch.LjungB</code> | a two element vector or <code>NULL</code> . In the former case, the first element contains the ARCH-order, the second element the significance level. If <code>NULL</code> , then a test for ARCH is not conducted |
| <code>normality.JarqueB</code> | <code>NULL</code> (the default) or a value between 0 and 1. In the latter case, a test for non-normality is conducted using a significance level equal to <code>normality.JarqueB</code> . If <code>NULL</code> , then no test for non-normality is conducted |
| <code>verbose</code> | logical. If <code>TRUE</code> , then a data.frame with the results of the diagnostics is returned. If <code>FALSE</code> , then the return-value is a logical that indicates whether the model passes the diagnostics (<code>TRUE</code> if it does, otherwise <code>FALSE</code>) |
| <code>user.fun</code> | <code>NULL</code> or a list with at least one entry, <code>name</code> (must be of class character), which should contain the name of the user-defined function. See details |
| <code>...</code> | further arguments (ignored) to accommodate deleted arguments from past versions of the functions |

Details

The argument `user.fun` enables the user to specify additional diagnostics. To do this, the argument should be a **list** with at least one entry, `name` (of class character), that contains the name of the user-defined function. The call to this function is executed with `do.call`, whose default value on

`envir` is `parent.frame()`. Usually, this will be the global environment (`.GlobalEnv`), but it can be changed by adding an entry named `envir` to the `list` that indicates where the user-defined function resides. If the `verbose` argument is set to `FALSE`, then an entry named `pval` must be provided. This entry should contain the chosen significance level or levels, i.e. either a scalar or a vector of length equal to the number of p -values returned by the user-defined diagnostics function (see examples). The user can also specify whether a rejection of the tests should cause the diagnostics to fail (default behaviour) or whether a rejection is desirable. For that purpose, a named entry `is.reject.bad` can be added that stores a logical vector of length equal to the number of tests conducted in the user diagnostics function. The first entry of the vector governs the diagnostic decision for the first row that the user diagnostics function returns, the second entry the decision for the second row etc. Additional entries in the `list` are passed on as arguments to the user-defined function.

The user-defined function should refer to the named items of the estimation result `x` (see examples), and the value returned by the user-defined function should be a matrix of dimension $m \times 3$. Here, m is the number of diagnostic tests performed by the user-defined function. For example, if only a single test is performed, then $m = 1$ and so the returned value should be a 1×3 matrix (or a vector of length 3). The three columns of the $m \times 3$ matrix should contain, in the following order, 1) the value(s) of the test-statistic(s) (or NA), 2) the degree(s) of freedom(s) (or NA) of the tests, and 3) the p -value(s) of the test(s). When checking whether the model passes the diagnostics or not, the p -value(s) is(are) checked against the value(s) in the entry named `pval` in the `list` provided to `user.fun`. By default, a calculated p -value below the corresponding element in `pval` causes the diagnostics to fail. If a named entry `is.reject.bad` exists, this decision rule is only applied to tests whose corresponding entry is `TRUE` while the decision rule is reversed for those with entry `FALSE`. For these tests, the diagnostics fail if the hypothesis cannot be rejected.

Value

`verbose=TRUE` a [data.frame](#) that contains the diagnostics results
`verbose=FALSE` a logical (of length one) indicating whether the residuals and/or model passes ALL the diagnostics (`TRUE` if it does, `FALSE` otherwise)

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>
 Jonas Kurlle, <https://www.jonaskurle.com/>

References

C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259
 G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270

See Also

[arx](#), [getsm](#), [getsv](#), [isat](#), [getsFun](#), [blocksFun](#)

Examples

```
##generate some data:
set.seed(123)
vY <- rnorm(20) #the regressand
mX <- matrix(rnorm(3*20), 20, 3) #the regressors
est <- ols(vY,mX)

##return a data-frame with autocorrelation and ARCH diagnostics (default),
##and check whether they pass (the default p-value is 0.025):
diagnostics(est)
diagnostics(est, verbose=FALSE)

##add the Jarque-Bera normality test to the diagnostics (w/p-value=0.05):
diagnostics(est, normality.JarqueB=0.05)
diagnostics(est, normality.JarqueB=0.05, verbose=FALSE)

##user-defined Shapiro-Wilks test for non-normality of the residuals:
SWtest <- function(x, ...){
  tmp <- shapiro.test(x$residuals)
  return( c(tmp$statistic, NA, tmp$p.value) )
}
diagnostics(est, user.fun=list(name="SWtest", pval=0.05))
diagnostics(est, user.fun=list(name="SWtest", pval=0.05), verbose=FALSE)

##user-defined test but diagnostics fail if do not reject (illustration only)
diagnostics(est, user.fun=list(name="SWtest", pval=0.05, is.reject.bad = FALSE))
diagnostics(est, user.fun=list(name="SWtest", pval=0.05, is.reject.bad = FALSE),
  verbose=FALSE)
```

distorttest

Jiao-Pretis-Schwarz Outlier Distortion Test

Description

Implements the Jiao-Pretis-Schwarz test for coefficient distortion due to outliers by comparing coefficient estimates obtained using OLS to estimates obtained using the robust IIS estimator implemented using `isat`. See the referenced Jiao-Pretis-Schwarz Paper below for more information.

Usage

```
distorttest(x, coef = "all")
```

Arguments

| | |
|------|--|
| x | object of class <code>isat</code> |
| coef | Either "all" (Default) to test the distortion on all coefficients or a character vector of explanatory variable names. |

Value

Object of class `isat`

Author(s)

Xiyu Jiao <https://sites.google.com/view/xiyujiao>

Felix Pretis <https://felixpretis.climateeconometrics.org/>

Moritz Schwarz <https://moritzschwarz.org>

References

Xiyu Jiao, Felix Pretis, and Moritz Schwarz. Testing for Coefficient Distortion due to Outliers with an Application to the Economic Impacts of Climate Change. Available at SSRN: <https://www.ssrn.com/abstract=3915040> or [doi:10.2139/ssrn.3915040](https://doi.org/10.2139/ssrn.3915040)

See Also

`isat`, `distorttestboot`

Examples

```
## Not run:
data(Nile)
nile <- isat(Nile, sis=FALSE, iis=TRUE, plot=TRUE, t.pval=0.01)
distorttest(nile)

data("hpdata")
# Another example with co-variates
dat <- hpdata[,c("GD", "GNPQ", "FSDJ")]
Y <- ts(dat$GD, start = 1959, frequency = 4)
mxreg <- ts(dat[,c("GNPQ", "FSDJ")], start = 1959, frequency = 4)
m1 <- isat(y = Y, mc = TRUE, sis = FALSE, iis = TRUE)
m2 <- isat(y = Y, mc = TRUE, sis = FALSE, iis = TRUE, ar = 1)
m3 <- isat(y = Y, mxreg = mxreg, mc = TRUE, sis = FALSE, iis = TRUE)
m4 <- isat(y = Y, mxreg = mxreg, mc = TRUE, sis = FALSE, iis = TRUE, ar = 1, t.pval = 0.01)
distorttest(m1, coef = "all")
distorttest(m2, coef = "all")
distorttest(m3, coef = "GNPQ")
distorttest(m4, coef = c("ar1", "FSDJ"))

## End(Not run)
```

 distorttestboot

Bootstrapped Jiao-Pretis-Schwarz Outlier Distortion Test

Description

Implements the Jiao-Pretis-Schwarz bootstrap test for coefficient distortion due to outliers by comparing coefficient estimates obtained using OLS to estimates obtained using the robust IIS estimator implemented using `isat`. Three bootstrap schemes are available - using the original sample (not recommended), the clean (outlier-removed) data, and using the clean (outlier-removed) sample with scaled cut-offs used to detect outliers in IIS implemented using `isat`. See the referenced Jiao-Pretis-Schwarz Paper below for more information.

Usage

```
distorttestboot(x, nboot, clean.sample = TRUE, parametric = FALSE, scale.t.pval = 1,
parallel.options = NULL, quantiles = c(0.90, 0.95, 0.99), ...)
```

```
##S3 printing method for objects of class 'distorttestboot':
## S3 method for class 'distorttestboot'
print(x, print.proportion = FALSE, ...)
```

Arguments

| | |
|-------------------------------|--|
| <code>x</code> | object of class <code>isat</code> or the output of the <code>distorttest</code> function. |
| <code>nboot</code> | numeric. Number of bootstrap replications. A high number of replications are recommended for final estimation (more than 200 at least). |
| <code>clean.sample</code> | logical. Whether the outlier-removed sample should be used in resampling. |
| <code>parametric</code> | logical. Whether to use a parametric bootstrap. Default is non-parametric (FALSE). Parametric currently not implemented for autoregressive models. |
| <code>scale.t.pval</code> | numeric. Scaled target p-value (for selection) relative to the initial p-value used in <code>isat</code> . Default is 1. E.g. a value of 0.5 would scale an initial target p-value of 0.05 to 0.025. |
| <code>parallel.options</code> | NULL (Default) or an integer, i.e. the number of cores/threads to be used for parallel computing (implemented w/ <code>makeCluster</code> and <code>parLapply</code>). |
| <code>print.proportion</code> | logical. Should the bootstrapped Jiao-Pretis Outlier Proportion Test be printed. Default is FALSE. |
| <code>quantiles</code> | numeric vector. Quantiles to be shown based on the bootstrapped results. Default is <code>c(0.90, 0.95, 0.99)</code> . |
| <code>...</code> | Further arguments passed to <code>isat</code> . |

Value

A list including an object of class `h-test`.

Author(s)

Xiyu Jiao <https://sites.google.com/view/xiyujiao>

Felix Pretis <https://felixpretis.climateeconometrics.org/>

Moritz Schwarz <https://moritzschwarz.org>

References

Xiyu Jiao, Felix Pretis, and Moritz Schwarz. Testing for Coefficient Distortion due to Outliers with an Application to the Economic Impacts of Climate Change. Available at SSRN: <https://www.ssrn.com/abstract=3915040> or doi:10.2139/ssrn.3915040

See Also

[isat](#), [distorttest](#)

Examples

```
## Not run:
data(Nile)
nile <- isat(Nile, sis=FALSE, iis=TRUE, plot=TRUE, t.pval=0.01)

distorttest(nile)
# bootstrap (with nboot = 5 to save time. Higher replications are recommended)
distorttestboot(nile, nboot = 5)

data("hpdata")
# Another example with co-variates
dat <- hpdata[,c("GD", "GNPQ", "FSDJ")]
Y <- ts(dat$GD, start = 1959, frequency = 4)
mxreg <- ts(dat[,c("GNPQ", "FSDJ")], start = 1959, frequency = 4)
m1 <- isat(y = Y, mc = TRUE, sis = FALSE, iis = TRUE)
m2 <- isat(y = Y, mc = TRUE, sis = FALSE, iis = TRUE, ar = 1)
m3 <- isat(y = Y, mxreg = mxreg, mc = TRUE, sis = FALSE, iis = TRUE)
m4 <- isat(y = Y, mxreg = mxreg, mc = TRUE, sis = FALSE, iis = TRUE, ar = 1, t.pval = 0.01)
distorttest(m1, coef = "all")
distorttest(m2, coef = "all")
distorttest(m3, coef = "GNPQ")
distorttest(m4, coef = c("ar1", "FSDJ"))

# bootstrap (with nboot = 5 to save time. Higher replications are recommended)
distorttestboot(m1, nboot = 5)
distorttestboot(m2, nboot = 5)
distorttestboot(m3, nboot = 5)
distorttestboot(m4, nboot = 5)
distorttestboot(m4, nboot = 5, parametric = TRUE, scale.t.pval = 0.5)
```

```
## End(Not run)
```

dropvar

Drop variable

Description

Drops columns in a matrix to avoid perfect multicollinearity.

Usage

```
dropvar(x, tol=1e-07, LAPACK=FALSE, silent=FALSE)
```

Arguments

| | |
|--------|--|
| x | a matrix, possibly less than full column rank. |
| tol | numeric value. The tolerance for detecting linear dependencies among regressors, see qr function. Only used if LAPACK is FALSE |
| LAPACK | logical, TRUE or FALSE (default). If true use LAPACK otherwise use LINPACK, see qr function |
| silent | logical, TRUE (default) or FALSE. Whether to print a notification whenever a regressor is removed |

Details

Original function `drop.coef` developed by Rune Haubo B. Christensen in package `ordinal`, <https://cran.r-project.org/package=ordinal>.

Value

a matrix whose regressors linearly independent

Author(s)

Rune Haubo B. Christensen, with modifications by Genaro Sucarrat, <http://www.sucarrat.net/>

References

Rune H.B. Christensen (2014): 'ordinal: Regression Models for Ordinal Data'. <https://cran.r-project.org/package=ordinal>

See Also

[isat](#)

Examples

```

set.seed(1)
x <- matrix(rnorm(20), 5)
dropvar(x) #full rank, none are dropped

x[,4] <- x[,1]*2
dropvar(x) #less than full rank, last column dropped

```

| | |
|-------|---|
| eqwma | <i>Equally Weighted Moving Average (EqWMA) of the pth. exponentiated values</i> |
|-------|---|

Description

The function `eqwma` returns an Equally Weighted Moving Average (EqWMA) of the p th. exponentiated values lagged k times (the default of k is 1). Optionally, the absolute values are computed before averaging if `abs=TRUE`, and the natural log of the values is returned if `log=TRUE`. The function `leqwma` is a wrapper to `eqwma` with `abs=TRUE` and `log=TRUE`.

If x is financial return (possibly mean-corrected) and $p=2$, then this gives the so-called 'historical' model, also known as an integrated ARCH model where the ARCH coefficients all have the same value with sum equal to one. In the log-variance specification the lag of $\log(\text{EqWMA})$ is thus a financial volatility proxy. It may be an imperfect proxy compared with high-frequency data (which can also be included as regressors), but - in contrast to high-frequency data - is always available and easy to compute.

Usage

```

eqwma(x, length=5, k=1, p=1, abs=FALSE, log=FALSE, as.vector=FALSE,
      lag=NULL, start=NULL)
leqwma(x, length=5, k=1, p=2, as.vector=FALSE, lag=NULL, start=NULL)

```

Arguments

| | |
|---------------------|---|
| <code>x</code> | numeric vector, time-series or <code>zoo</code> object |
| <code>length</code> | integer or vector of integers each equal to or greater than 1. The length or lengths of the moving window or windows of averages |
| <code>k</code> | integer that determines how many periods the term(s) should be lagged. If 0 (or smaller), then the moving averages are not lagged |
| <code>p</code> | numeric value. The exponent p in x^p when <code>abs=FALSE</code> , and in $\text{abs}(x)^p$ when <code>abs=TRUE</code> |
| <code>log</code> | logical with default <code>FALSE</code> . If <code>TRUE</code> , then the logarithm of the moving average is returned |
| <code>abs</code> | logical with default <code>FALSE</code> . If <code>TRUE</code> , then x is transformed to absolute values before x is exponentiated |

| | |
|-----------|---|
| as.vector | logical with default FALSE. If TRUE, and if length(length)==1, then the result is returned as a vector. Otherwise the returned value is always a matrix |
| lag | deprecated |
| start | deprecated |

Details

The intended primary use of eqwma is to construct mixed frequency regressors for the mean specification of an `arx` model.

The intended primary use of leqwma is to construct volatility proxies for the log-variance specification in an `arx` model. In the latter case, the default is the lagged log of an equally weighted moving average of the squared residuals, where each average is made up of m observations. This is equivalent to an integrated ARCH(p) model where the p coefficients are all equal. For further details on the use of $\log(\text{EqWMA})$ as a volatility proxy, see Sucarrat and Escribano (2012).

Value

numeric matrix, vector or `zoo` object

Author(s)

Genaro Sucarrat, <https://www.sucarrat.net/>

References

Genaro Sucarrat and Alvaro Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', *Oxford Bulletin of Economics and Statistics* 74, Issue no. 5 (October), pp. 716-735

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

See Also

`zoo`, `arx`, `getsm`, `getsv`

Examples

```
##generate an iid normal series:
set.seed(123)
x <- rnorm(100)

##compute lag of EqWMA(20) for x^2:
eqwma(x, p=2)

##compute lag of EqWMA(5) and lag of EqWMA(10) for x:
eqwma(x, length=c(5,10))

##compute lag of log(EqWMA(20)) for x^2:
```

```
leqwma(x)

#compute lag of log(EqWMA(5)) and lag of log(EqWMA(8))
#for abs(x)^2:
leqwma(x, length=c(4,8))
```

ES

Conditional Value-at-Risk (VaR) and Expected Shortfall (ES)

Description

Extract the in-sample conditional Value-at-Risk, or the in-sample conditional Expected Shortfall for the chosen risk level(s).

Usage

```
ES(object, level=0.99, type=7, ...)
VaR(object, level=0.99, type=7, ...)
```

Arguments

| | |
|--------|--|
| object | an <code>arx</code> or gets object |
| level | the risk level(s), must be between 0 and 1 |
| type | the method used to compute the empirical quantiles of the standardised residuals |
| ... | arguments passed on (currently not used) |

Value

A vector or matrix containing either the conditional Value-at-Risk (VaR) or the conditional Expected Shortfall (ES) for the chosen risk level(s).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[arx](#), [getsm](#), [getsv](#)

Examples

```
##generate random variates, estimate model:
y <- rnorm(50)
mymodel <- arx(y, arch=1)

##extract 99% expected shortfall:
ES(mymodel)

##extract 99%, 95% and 90% expected shortfalls:
ES(mymodel, level=c(0.99, 0.95, 0.9))

##extract 99% value-at-risk:
VaR(mymodel)

##extract 99%, 95% and 90% values-at-risk:
VaR(mymodel, level=c(0.99, 0.95, 0.9))
```

eviews

Exporting results to EViews and STATA

Description

Functions that facilitate the export of results to the commercial econometric softwares EViews and STATA, respectively.

Usage

```
eviews(object, file=NULL, print=TRUE, return=FALSE)
stata(object, file=NULL, print=TRUE, return=FALSE)
```

Arguments

| | |
|--------|--|
| object | an arx, gets or isat object |
| file | filename, i.e. the destination of the exported data |
| print | logical. If TRUE, then the estimation code in EViews (or STATA) is printed |
| return | logical. If TRUE, then a list is returned |

Value

Either printed text or a list (if return=TRUE)

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[arx](#), [getsm](#), [getsv](#), [isat](#)

Examples

```
##simulate random variates, estimate model:
y <- rnorm(30)
mX <- matrix(rnorm(30*2), 30, 2)
mymod <- arx(y, mc=TRUE, mxreg=mX)

##print EViews code:
eviews(mymod)

##print Stata code:
stata(mymod)
```

gets

General-to-Specific (GETS) Modelling

Description

For an overview of the **gets** package, see [gets-package](#). Here, documentation of generic functions for GETS modelling is provided. Note that `gets.arx` is a convenience wrapper to [getsm](#) and [getsv](#). For specific GETS methods for `lm`, `logitx` and `isat` models, see [gets.lm](#), [gets.logitx](#) and [gets.isat](#), respectively.

Usage

```
gets(x, ...)
```

```
## S3 method for class 'arx'
gets(x, spec=NULL, ...)
```

Arguments

| | |
|-------------------|---|
| <code>x</code> | an object to be subjected to GETS modelling |
| <code>spec</code> | NULL (default), "mean" or "variance". If "mean", then getsm is called. If "variance", then getsv is called. If NULL, then it is automatically determined whether GETS-modelling of the mean or log-variance specification should be undertaken. |
| <code>...</code> | further arguments passed to or from other methods |

Details

`gets.arx` is a convenience wrapper to [getsm](#) and [getsv](#).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[getsm](#), [getsv](#), [getsFun](#), [blocksFun](#)

gets.isat

General-to-Specific (GETS) Modelling 'isat' objects

Description

General-to-Specific (GETS) Modelling of a objects of class `isat`.

Usage

```
## S3 method for class 'isat'
gets(x, t.pval=0.05, wald.pval=t.pval, vcov.type=NULL,
     do.pet=TRUE, ar.LjungB=list(lag=NULL, pval=0.025),
     arch.LjungB=list(lag=NULL, pval=0.025), normality.JarqueB=NULL,
     user.diagnostics=NULL, info.method=c("sc","aic","aicc","hq"),
     gof.function=NULL, gof.method=NULL, keep=NULL, include.gum=FALSE,
     include.1cut=TRUE, include.empty=FALSE, max.paths=NULL, tol=1e-07,
     turbo=FALSE, print.searchinfo=TRUE, plot=NULL, alarm=FALSE,...)
```

Arguments

| | |
|--------------------------|--|
| <code>x</code> | an object of class 'isat' |
| <code>t.pval</code> | numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests |
| <code>wald.pval</code> | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs). By default, it is the same as <code>t.pval</code> |
| <code>vcov.type</code> | the type of variance-covariance matrix used. If <code>NULL</code> (default), then the type used in the estimation of the 'arx' object is used. This can be overridden by either "ordinary" (i.e. the ordinary variance-covariance matrix) or "white" (i.e. the White (1980) heteroscedasticity robust variance-covariance matrix) |
| <code>do.pet</code> | logical. If <code>TRUE</code> (default), then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If <code>FALSE</code> , then a PET is not undertaken at each regressor removal |
| <code>ar.LjungB</code> | a two-item list with names <code>lag</code> and <code>pval</code> , or <code>NULL</code> . In the former case <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>ar.LjungB=NULL</code> , then the standardised residuals are not checked for serial correlation |
| <code>arch.LjungB</code> | a two-item list with names <code>lag</code> and <code>pval</code> , or <code>NULL</code> . In the former case, <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the squared standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>arch.LjungB=NULL</code> , then the standardised residuals are not checked for ARCH |

| | |
|-------------------|--|
| normality.JarqueB | a value between 0 and 1, or NULL. In the former case, the Jarque and Bera (1980) test for non-normality is conducted using a significance level equal to the numeric value. If NULL, then no test for non-normality is undertaken |
| user.diagnostics | NULL or a list with two entries, name and pval, see the user.fun argument in diagnostics |
| info.method | character string, "sc" (default), "aic" or "hq", which determines the information criterion to be used when selecting among terminal models. The abbreviations are short for the Schwarz or Bayesian information criterion (sc), the Akaike information criterion (aic) and the Hannan-Quinn (hq) information criterion |
| gof.function | NULL (default) or a list, see getsFun . If NULL, then infocrit is used |
| gof.method | NULL (default) or a character, see getsFun . If NULL and gof.function is also NULL, then the best goodness-of-fit is characterised by a minimum value |
| keep | the regressors to be excluded from removal in the specification search. Note that keep=c(1) is obligatory when using getsv. This excludes the log-variance intercept from removal. The regressor numbering is contained in the reg.no column of the GUM |
| include.gum | logical. If TRUE, then the GUM (i.e. the starting model) is included among the terminal models. If FALSE (default), then the GUM is not included |
| include.1cut | logical. If TRUE, then the 1-cut model is added to the list of terminal models. If FALSE (default), then the 1-cut is not added, unless it is a terminal model in one of the paths |
| include.empty | logical. If TRUE, then an empty model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the empty model is not included (unless it is one of the terminals) |
| max.paths | NULL (default) or an integer greater than 0. If NULL, then there is no limit to the number of paths. If an integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path) |
| tol | numeric value. The tolerance for detecting linear dependencies in the columns of the variance-covariance matrix when computing the Wald-statistic used in the Parsimonious Encompassing Tests (PETs), see the qr.solve function |
| turbo | logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if turbo=TRUE, then the total search time might in fact be higher than if turbo=FALSE. This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE |
| print.searchinfo | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started |
| plot | NULL or logical. If TRUE, then the fitted values and the residuals of the final model are plotted after model selection. If FALSE, then they are not. If NULL |

(default), then the value set by `options` determines whether a plot is produced or not

`alarm` logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends

`...` further arguments passed on to and from methods

Details

Internally, `gets.isat` invokes `getsm` for the GETS-modelling.

Value

A list of class `gets`.

Author(s)

Moritz Schwarz, <https://www.inet.ox.ac.uk/people/moritz-schwarz>
 Genaro Sucarrat, <https://www.sucarrat.net/>

See Also

`isat`, `getsm`, `getsFun`, `paths` and `terminals`

Examples

```
##generate some data:
#set.seed(123) #for reproducibility
#y <- rnorm(30) #generate Y
#isatmod <- isat(y)
#gets(isatmot)
```

`gets.larch`

General-to-Specific (GETS) Modelling of a heterogeneous log-ARCH-X model

Description

The starting model, an object of the 'larch' class (see `larch`, is referred to as the General Unrestricted Model (GUM). The `gets.larch()` function undertakes multi-path GETS modelling of the log-variance specification. The diagnostic tests are undertaken on the standardised residuals, and the `keep` option enables regressors to be excluded from possible removal.

Usage

```
## S3 method for class 'larch'
gets(x, t.pval=0.05, wald.pval=t.pval, do.pet=TRUE,
     ar.LjungB=NULL, arch.LjungB=NULL, normality.JarqueB=NULL,
     user.diagnostics=NULL, info.method=c("sc", "aic", "aicc", "hq"),
     gof.function=NULL, gof.method=NULL, keep=c(1), include.gum=FALSE,
     include.lcut=TRUE, include.empty=FALSE, max.paths=NULL, tol=1e-07,
     turbo=FALSE, print.searchinfo=TRUE, plot=NULL, alarm=FALSE, ...)
```

Arguments

| | |
|-------------------|---|
| x | an object of class 'larch' |
| t.pval | numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests |
| wald.pval | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs). By default, wald.pval is equal to t.pval |
| do.pet | logical. If TRUE (default), then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If FALSE, then a PET is not undertaken at each regressor removal |
| ar.LjungB | NULL (default), or a list with named items lag and pval, or a two-element numeric vector where the first element contains the lag and the second the p-value. If NULL, then the standardised residuals are not checked for autocorrelation. If ar.LjungB is a list, then lag contains the order of the Ljung and Box (1979) test for serial correlation in the standardised residuals, and pval contains the significance level. If lag=NULL, then the order used is that of the estimated 'larch' object |
| arch.LjungB | NULL (default), or a list with named items lag and pval, or a two-element numeric vector where the first element contains the lag and the second the p-value. If NULL, then the standardised residuals are not checked for ARCH (autocorrelation in the squared standardised residuals). If arch.LjungB is a list, then lag contains the order of the test, and pval contains the significance level. If lag=NULL, then the order used is that of the estimated 'larch' object |
| normality.JarqueB | NULL (default) or a numeric value between 0 and 1. If NULL, then no test for non-normality is undertaken. If a numeric value between 0 and 1, then the Jarque and Bera (1980) test for non-normality is conducted using a significance level equal to the numeric value |
| user.diagnostics | NULL (default) or a list with two entries, name and pval, see the user.fun argument in diagnostics |
| info.method | character string, "sc" (default), "aic", "aicc" or "hq", which determines the information criterion to be used when selecting among terminal models. See infocrit for the details |
| gof.function | NULL (default) or a list, see getsFun . If NULL, then infocrit is used |

| | |
|-------------------------------|--|
| <code>gof.method</code> | NULL (default) or a character, see getsFun . If NULL and <code>gof.function</code> is also NULL, then the best goodness-of-fit is characterised by a minimum value |
| <code>keep</code> | the regressors to be kept (i.e. excluded from removal) in the specification search. Currently, <code>keep=c(1)</code> is obligatory, which excludes the log-variance intercept from removal |
| <code>include.gum</code> | logical. If TRUE, the GUM (i.e. the starting model) is included among the terminal models. If FALSE (default), the GUM is not included |
| <code>include.1cut</code> | logical. If TRUE (default), then the 1-cut model is added to the list of terminal models. If FALSE, the 1-cut is not added, unless it is a terminal model in one of the paths |
| <code>include.empty</code> | logical. If TRUE, then an empty model is included among the terminal models, if it passes the diagnostic tests. If FALSE (default), then the empty model is not included |
| <code>max.paths</code> | NULL (default) or an integer equal to or greater than 0. If NULL, then there is no limit to the number of paths. If an integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path) |
| <code>tol</code> | numeric value. The tolerance for detecting linear dependencies in the columns of the variance-covariance matrix when computing the Wald-statistic used in the Parsimonious Encompassing Tests (PETs), see the qr.solve function |
| <code>turbo</code> | logical. If TRUE, then paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a computational overhead. Accordingly, if <code>turbo=TRUE</code> , the total search time might in fact be higher than if <code>turbo=FALSE</code> . This is particularly likely to happen if estimation is very fast, say, less than a quarter of a second. Hence the default is FALSE |
| <code>print.searchinfo</code> | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started |
| <code>plot</code> | NULL or logical. If TRUE, then the fitted values and the standardised residuals of the final model are plotted after model selection. If FALSE, then they are not plotted. If NULL (default), then the value set by options determines whether a plot is produced or not |
| <code>alarm</code> | logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends, see alarm |
| <code>...</code> | additional arguments |

Details

See Pretis, Reade and Sucarrat (2018): [doi:10.18637/jss.v086.i03](https://doi.org/10.18637/jss.v086.i03), and Sucarrat (2020): <https://journal.r-project.org/archive/2021/RJ-2021-024/>.

The arguments `user.diagnostics` and `gof.function` enable the specification of user-defined diagnostics and a user-defined goodness-of-fit function. For the former, see the documentation of [diagnostics](#). For the latter, the principles of the same arguments in [getsFun](#) are followed, see its documentation under "Details", and Sucarrat (2020): <https://journal.r-project.org/archive/2021/RJ-2021-024/>.

Value

A list of class 'larch', see [larch](#), with additional information about the GETS modelling

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

- C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259. doi:10.1016/01651765(80)900245
- G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270
- Felix Pretis, James Reade and Genaro Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44. doi:10.18637/jss.v086.i03
- Genaro Sucarrat (2020): 'User-Specified General-to-Specific and Indicator Saturation Methods'. *The R Journal* 12:2, pages 388-401. <https://journal.r-project.org/archive/2021/RJ-2021-024/>

See Also

Methods and extraction functions (mostly S3 methods): [coef.larch](#), [ES](#), [fitted.larch](#), [gets.larch](#), [logLik.larch](#), [nobs.larch](#), [plot.larch](#), [predict.larch](#), [print.larch](#), [residuals.larch](#), [summary.larch](#), [VaR](#), [toLatex.larch](#) and [vcov.arx](#)

Related functions: [eqwma](#), [leqwma](#), [regressorsVariance](#), [zoo](#), [getsFun](#), [qr.solve](#)

Examples

```
##Simulate some data:
set.seed(123)
e <- rnorm(40)
x <- matrix(rnorm(4*40), 40, 4)

##estimate a log-ARCH(3) with asymmetry and log(x^2) as regressors:
gum <- larch(e, arch=1:3, asym=1, vxreg=log(x^2))

##GETS modelling of the log-variance:
simple <- gets(gum)

##GETS modelling with intercept and log-ARCH(1) terms
##excluded from removal:
simple <- gets(gum, keep=c(1,2))

##GETS modelling with non-default autocorrelation
##diagnostics settings:
simple <- gets(gum, ar.LjungB=list(pval=0.05))

##GETS modelling with very liberal (40%) significance level:
```

```
simple <- gets(gum, t.pval=0.4)
```

`gets.lm`*General-to-Specific (GETS) Modelling 'lm' objects*

Description

General-to-Specific (GETS) Modelling of objects of class `lm`.

Usage

```
## S3 method for class 'lm'  
gets(x, keep = NULL, include.1cut = TRUE, print.searchinfo = TRUE, ...)
```

Arguments

| | |
|-------------------------------|--|
| <code>x</code> | an object of class 'lm', see <code>lm</code> |
| <code>keep</code> | NULL or a vector of integers that determines which regressors to be excluded from removal in the specification search |
| <code>include.1cut</code> | logical. If TRUE (default), then the 1-cut model is added to the list of terminal models. If FALSE, then the 1-cut is not added, unless it is a terminal model in one of the paths |
| <code>print.searchinfo</code> | logical. If TRUE (default), then selected info is printed during search |
| <code>...</code> | further arguments passed on to <code>getsFun</code> |

Details

Internally, `gets.lm` invokes `getsFun` for the GETS-modelling, which is also invoked by `getsm`. See their help pages for more information.

Value

A list of class `lm`. Note that the 'top' of the list contains information (paths and terminal models) from the GETS modelling, see `paths` and `terminals`

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`lm`, `getsFun`, `getsm`, `paths` and `terminals`

Examples

```
##generate some data:
set.seed(123) #for reproducibility
y <- rnorm(30) #generate Y
x <- matrix(rnorm(30*10), 30, 10) #matrix of Xs
colnames(x) <- paste0("var", 1:NCOL(x))

##estimate model:
mymod <- lm(y ~ x)

##do gets modelling:
gets(mymod)

##ensure intercept is not removed:
gets(mymod, keep=1)
```

gets.logitx

General-to-Specific (GETS) Modelling of objects of class 'logitx'

Description

General-to-Specific (GETS) Modelling of a dynamic Autoregressive (AR) logit model with covariates ('X') of class 'dlogitx'.

Usage

```
## S3 method for class 'logitx'
gets(x, t.pval = 0.05, wald.pval = t.pval, do.pet = TRUE,
     user.diagnostics = NULL, keep = NULL, include.gum = FALSE,
     include.lcut = TRUE, include.empty = FALSE, max.paths = NULL,
     turbo = TRUE, print.searchinfo = TRUE, plot = NULL, alarm = FALSE,
     ...)
```

Arguments

| | |
|------------------|---|
| x | an object of class 'logitx', see logitx |
| t.pval | numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests |
| wald.pval | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs). By default, it is the same as t.pval |
| do.pet | logical that determines whether a Parsimonious Encompassing Test (PET) against the GUM should be undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If FALSE, then a PET is not undertaken at each regressor removal |
| user.diagnostics | NULL (default) or a list with two entries, name and pval, see getsFun |

| | |
|------------------|---|
| keep | NULL or a vector of integers that determines which regressors to be excluded from removal in the specification search |
| include.gum | logical that determines whether the GUM (i.e. the starting model) should be included among the terminal models. If FALSE (default), then the GUM is not included |
| include.1cut | logical that determines whether the 1-cut model should be added to the list of terminal models. If FALSE (default), then the 1-cut is not added, unless it is a terminal model in one of the paths |
| include.empty | logical that determines whether an empty model should be added to the list of terminal models, if it passes the diagnostic tests. If FALSE (default), then the empty model is not added, unless it is a terminal model in one of the paths |
| max.paths | NULL (default) or an integer greater than 0. If NULL, then there is no limit to the number of paths. If an integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path) |
| turbo | logical. If TRUE (the default), then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. The checking of whether the search has arrived at a point it has already been at comes with a slight computational overhead. So faster search is not guaranteed when turbo=TRUE |
| print.searchinfo | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started |
| plot | NULL or logical. If TRUE, then a plot is produced. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not |
| alarm | logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends |
| ... | further arguments passed to or from other methods |

Details

The model of class 'logitx' is a dynamic Autoregressive (AR) logit model with (optional) covariates ('X') proposed by Kauppi and Saikkonen (2008). Internally, `gets.logitx` undertakes the General-to-Specific (GETS) modelling with the `getsFun` function, see Sucarrat (2020).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Heikki Kauppi and Pentti Saikkonen (2008): 'Predicting U.S. Recessions with Dynamic Binary Response Models'. *The Review of Economic Statistics* 90, pp. 777-791

See Also

[logitx](#), [logitxSim](#), [coef.logitx](#), [getsFun](#)

Examples

```
##simulate from ar(1), create covariates:
set.seed(123) #for reproducibility
y <- logitxSim(100, ar=0.3)
x <- matrix(rnorm(5*100), 100, 5)

##estimate model:
mymod <- logitx(y, ar=1:4, xreg=x)

##do gets modelling:
gets(mymod)
```

getsFun

General-to-Specific (GETS) modelling function

Description

Auxiliary function (i.e. not intended for the average user) that enables fast and efficient GETS-modelling with user-specified estimators and models, and user-specified diagnostics and goodness-of-fit criteria. The function is called by and relied upon by [getsm](#), [getsv](#), [isat](#) and [blocksFun](#).

Usage

```
getsFun(y, x, untransformed.residuals=NULL,
        user.estimator=list(name="ols"), gum.result=NULL, t.pval=0.05,
        wald.pval=t.pval, do.pet=TRUE, ar.LjungB=NULL, arch.LjungB=NULL,
        normality.JarqueB=NULL, user.diagnostics=NULL,
        gof.function=list(name="infocrit"), gof.method=c("min", "max"),
        keep=NULL, include.gum=FALSE, include.1cut=FALSE,
        include.empty=FALSE, max.paths=NULL, turbo=FALSE, tol=1e-07,
        LAPACK=FALSE, max.regs=NULL, print.searchinfo=TRUE, alarm=FALSE)
```

Arguments

| | |
|--------------------------------------|---|
| <code>y</code> | a numeric vector (with no missing values, i.e. no non-numeric 'holes') |
| <code>x</code> | a matrix or NULL |
| <code>untransformed.residuals</code> | NULL (default) or, when <code>ols</code> is used with <code>method=6</code> in <code>user.estimator</code> , a numeric vector containing the untransformed residuals |
| <code>user.estimator</code> | a list. The first item should be named <code>name</code> and contain the name (a character) of the estimation function (the default is "ols"). Additional items, if any, in the list <code>user.estimator</code> are passed on as arguments to the estimator in question. Optionally, the list can also contain an item named <code>envir</code> , a character, which indicates the environment in which the user-specified estimator resides. The value returned by the user-specified estimator should be a list, see details |

| | |
|--------------------------------|--|
| <code>gum.result</code> | a list with the estimation results of the General Unrestricted Model (GUM), or NULL (default). If the estimation results of the GUM are already available, then re-estimation of the GUM is skipped if the estimation results are provided via this argument |
| <code>t.pval</code> | numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests |
| <code>wald.pval</code> | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs) |
| <code>do.pet</code> | logical. If TRUE (default), then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If FALSE, then a PET is not undertaken at each regressor removal |
| <code>ar.LjungB</code> | a two element vector or NULL (default). In the former case, the first element contains the AR-order, the second element the significance level. If NULL, then a test for autocorrelation is not conducted |
| <code>arch.LjungB</code> | a two element vector or NULL (default). In the former case, the first element contains the ARCH-order, the second element the significance level. If NULL, then a test for ARCH is not conducted |
| <code>normality.JarqueB</code> | NULL or a numeric value between 0 and 1. In the latter case, a test for non-normality is conducted using a significance level equal to <code>normality.JarqueB</code> . If NULL, then no test for non-normality is conducted |
| <code>user.diagnostics</code> | NULL (default) or a list with two entries, <code>name</code> and <code>pval</code> . The first item (<code>name</code>) should contain the name of the user-defined function, and must be of class character. The second item should contain the chosen significance level or levels, i.e. either a scalar or a vector of length equal to the number of p-values returned by the user-defined diagnostics function, see details. Optionally, the list <code>user.diagnostics</code> can also contain a third item named <code>envir</code> , a character, which indicates the environment in which the user-defined function resides |
| <code>gof.function</code> | a list. The first item should be named <code>name</code> and contain the name (a character) of the Goodness-of-Fit (GOF) function used. Additional items in the list <code>gof.function</code> are passed on as arguments to the GOF-function. The value returned by the GOF-function should be a numeric value (of length 1). Optionally, the list <code>gof.function</code> can also contain an item named <code>envir</code> , a character, which indicates the environment in which the user-defined function resides |
| <code>gof.method</code> | a character. Determines whether the best Goodness-of-Fit is a minimum or maximum |
| <code>keep</code> | NULL or an integer vector that indicates which regressors to be excluded from removal in the search |
| <code>include.gum</code> | logical. If TRUE, then the GUM (i.e. the starting model) is included among the terminal models. If FALSE (default), then the GUM is not included |
| <code>include.1cut</code> | logical. If TRUE, then the 1-cut model is added to the list of terminal models. If FALSE (default), then the 1-cut is not added, unless it is a terminal model in one of the paths |

| | |
|-------------------------------|--|
| <code>include.empty</code> | logical. If TRUE, then the empty model is added to the list of terminal models. If FALSE (default), then the empty model is not added, unless it is a terminal model in one of the paths |
| <code>max.paths</code> | NULL (default) or an integer equal to or greater than 0. If NULL, then there is no limit to the number of paths. If an integer, for example 1, then this integer constitutes the maximum number of paths searched |
| <code>turbo</code> | logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if <code>turbo=TRUE</code> , then the total search time might in fact be higher than if <code>turbo=FALSE</code> . This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE |
| <code>tol</code> | numeric value (default = $1e-07$). The tolerance for detecting linear dependencies in the columns of the variance-covariance matrix when computing the Wald-statistic used in the Parsimonious Encompassing Tests (PETs), see the qr.solve function |
| LAPACK | currently not used |
| <code>max.regs</code> | integer. The maximum number of regressions along a deletion path. Do not alter unless you know what you are doing! |
| <code>print.searchinfo</code> | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started |
| <code>alarm</code> | logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends |

Details

The value returned by the estimator specified in `user.estimator` should be a [list](#) containing at least six items: "coefficients", "df", "vcov", "logl", "n" and "k". The item "coefficients" should be a vector of length `NCOL(x)` containing the estimated coefficients. The item named "df" is used to compute the *p*-values associated with the *t*-statistics, i.e. `coef/std.err`. The item named "vcov" contains the (symmetric) coefficient-covariance matrix of the estimated coefficients. The items "logl" (the log-likelihood), "n" (the number of observations) and "k" (the number of estimated parameters; not necessarily equal to the number of coefficients) are used to compute the information criterion. Finally, the estimator MUST be able to handle empty regressor-matrices (i.e. `is.null(x)=TRUE` or `NCOL(x)=0`). In this case, then the first three items (i.e. "coefficients", "df" and "vcov") can - and should - be NULL.

The argument `user.estimator` enables the user to specify an estimator that differs from the default (`ols`). To do this, the argument should be a list with at least one entry, name (of class character), that contains the name of the user-defined function. The call to this function is executed with `do.call`, whose default value on `envir` is `parent.frame()`. Usually, this will be the global environment (`.GlobalEnv`), but it can be changed by adding an entry named `envir` to the list that indicates where the user-defined function resides.

The argument `user.diagnostics` enables the user to specify additional - or alternative - diagnostics, see [diagnostics](#).

The argument `gof` function enables the user to specify a goodness-of-fit function that differs from the default (`infocrit`). The principles to follow are the same as that of `user.estimator`: The argument should be a list with at least one entry, name, that contains the name of the user-defined function, additional entries in the list are passed on to the user-specified goodness-of-fit function, and optionally an entry named `envir` may indicate where the user-defined function resides.

Value

A list with the results of the specification search.

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

- C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259
- G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270
- F. Pretis, J. Reade and G. Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44
- G. sucarrat (2019): 'User-Specified General-to-Specific and Indicator Saturation Methods', Munich Personal RePEc Archive: <https://mpra.ub.uni-muenchen.de/96653/>

See Also

[ols](#), [diagnostics](#), [infocrit](#), [getsv](#)

Examples

```
##aim: do gets on the x-part (i.e. the covariates) of an arma-x model.
##create the user-defined estimator (essentially adding, renaming
##and re-organising the items returned by the estimator):
myEstimator <- function(y, x)
{
  tmp <- arima(y, order=c(1,0,1), xreg=x)

  #rename and re-organise:
  result <- list()
  result$coefficients <- tmp$coef[-c(1:3)]
  result$vcov <- tmp$var.coef
  result$vcov <- result$vcov[-c(1:3),-c(1:3)]
  result$loglik <- tmp$loglik
  result$n <- tmp$nobs
  result$k <- NCOL(x)
  result$df <- result$n - result$k

  return(result)
}
```

```

}

##generate some data:
##a series w/structural break and eleven step-dummies near the break
set.seed(123)
eps <- arima.sim(list(ar=0.4, ma=0.1), 60)
x <- coredata(sim(eps, which.ones=25:35)) #eleven step-dummies
y <- 4*x[, "sis30"] + eps #create shift upwards at observation 30
plot(y)

##estimate the gum and then do gets in a single step:
##getsFun(y, x, user.estimator=list(name="myEstimator"))

##estimate the gum and then do gets in two steps:
mygum <- myEstimator(y, x)
##getsFun(y, x, user.estimator=list(name="myEstimator"), gum.result=mygum)

```

| | |
|-------|--|
| getsm | <i>General-to-Specific (GETS) Modelling of an AR-X model (the mean specification) with log-ARCH-X errors (the log-variance specification).</i> |
|-------|--|

Description

The starting model, an object of the 'arx' class, is referred to as the General Unrestricted Model (GUM). The `getsm` function undertakes multi-path GETS modelling of the mean specification, whereas `getsv` does the same for the log-variance specification. The diagnostic tests are undertaken on the standardised residuals, and the `keep` option enables regressors to be excluded from possible removal.

Usage

```

##GETS-modelling of mean specification:
getsm(object, t.pval=0.05, wald.pval=t.pval, vcov.type=NULL,
       do.pet=TRUE, ar.LjungB=list(lag=NULL, pval=0.025),
       arch.LjungB=list(lag=NULL, pval=0.025), normality.JarqueB=NULL,
       user.diagnostics=NULL, info.method=c("sc", "aic", "aicc", "hq"),
       gof.function=NULL, gof.method=NULL, keep=NULL, include.gum=FALSE,
       include.lcut=TRUE, include.empty=FALSE, max.paths=NULL, tol=1e-07,
       turbo=FALSE, print.searchinfo=TRUE, plot=NULL, alarm=FALSE)

##GETS modelling of log-variance specification:
getsv(object, t.pval=0.05, wald.pval=t.pval,
       do.pet=TRUE, ar.LjungB=list(lag=NULL, pval=0.025),
       arch.LjungB=list(lag=NULL, pval=0.025), normality.JarqueB=NULL,
       user.diagnostics=NULL, info.method=c("sc", "aic", "aicc", "hq"),
       gof.function=NULL, gof.method=NULL, keep=c(1), include.gum=FALSE,
       include.lcut=TRUE, include.empty=FALSE, max.paths=NULL, tol=1e-07,
       turbo=FALSE, print.searchinfo=TRUE, plot=NULL, alarm=FALSE)

```

Arguments

| | |
|--------------------------------|--|
| <code>object</code> | an object of class 'arx' |
| <code>t.pval</code> | numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests |
| <code>wald.pval</code> | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs). By default, it is the same as <code>t.pval</code> |
| <code>vcov.type</code> | the type of variance-covariance matrix used. If <code>NULL</code> (default), then the type used in the estimation of the 'arx' object is used. This can be overridden by either "ordinary" (i.e. the ordinary variance-covariance matrix) or "white" (i.e. the White (1980) heteroscedasticity robust variance-covariance matrix) |
| <code>do.pet</code> | logical. If <code>TRUE</code> (default), then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If <code>FALSE</code> , then a PET is not undertaken at each regressor removal |
| <code>ar.LjungB</code> | a <code>list</code> with named items <code>lag</code> and <code>pval</code> , a two-element numeric vector where the first element contains the lag and the second the p-value, or <code>NULL</code> . In the first case, <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>ar.Ljungb=NULL</code> , then the standardised residuals are not checked for serial correlation |
| <code>arch.LjungB</code> | a <code>list</code> with named items <code>lag</code> and <code>pval</code> , a two-element numeric vector where the first element contains the lag and the second the p-value, or <code>NULL</code> . In the first case, <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the squared standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>arch.Ljungb=NULL</code> , then the standardised residuals are not checked for ARCH |
| <code>normality.JarqueB</code> | a value between 0 and 1, or <code>NULL</code> . In the former case, the Jarque and Bera (1980) test for non-normality is conducted using a significance level equal to the numeric value. If <code>NULL</code> , then no test for non-normality is undertaken |
| <code>user.diagnostics</code> | <code>NULL</code> or a <code>list</code> with two entries, <code>name</code> and <code>pval</code> , see the <code>user.fun</code> argument in diagnostics |
| <code>info.method</code> | character string, "sc" (default), "aic" or "hq", which determines the information criterion to be used when selecting among terminal models. The abbreviations are short for the Schwarz or Bayesian information criterion (sc), the Akaike information criterion (aic) and the Hannan-Quinn (hq) information criterion |
| <code>gof.function</code> | <code>NULL</code> (default) or a <code>list</code> , see getsFun . If <code>NULL</code> , then <code>infocrit</code> is used |
| <code>gof.method</code> | <code>NULL</code> (default) or a character, see getsFun . If <code>NULL</code> and <code>gof.function</code> is also <code>NULL</code> , then the best goodness-of-fit is characterised by a minimum value |
| <code>keep</code> | the regressors to be excluded from removal in the specification search. Note that <code>keep=c(1)</code> is obligatory when using <code>getsv</code> . This excludes the log-variance intercept from removal. The regressor numbering is contained in the <code>reg.no</code> column of the GUM |

| | |
|-------------------------------|--|
| <code>include.gum</code> | logical. If TRUE, then the GUM (i.e. the starting model) is included among the terminal models. If FALSE (default), then the GUM is not included |
| <code>include.1cut</code> | logical. If TRUE, then the 1-cut model is added to the list of terminal models. If FALSE (default), then the 1-cut is not added, unless it is a terminal model in one of the paths |
| <code>include.empty</code> | logical. If TRUE, then an empty model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the empty model is not included (unless it is one of the terminals) |
| <code>max.paths</code> | NULL (default) or an integer greater than 0. If NULL, then there is no limit to the number of paths. If an integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path) |
| <code>tol</code> | numeric value. The tolerance for detecting linear dependencies in the columns of the variance-covariance matrix when computing the Wald-statistic used in the Parsimonious Encompassing Tests (PETs), see the qr.solve function |
| <code>turbo</code> | logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if <code>turbo=TRUE</code> , then the total search time might in fact be higher than if <code>turbo=FALSE</code> . This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE |
| <code>print.searchinfo</code> | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started |
| <code>plot</code> | NULL or logical. If TRUE, then the fitted values and the residuals of the final model are plotted after model selection. If FALSE, then they are not. If NULL (default), then the value set by options determines whether a plot is produced or not |
| <code>alarm</code> | logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends |

Details

For an overview, see Pretis, Reade and Sucarrat (2018): [doi:10.18637/jss.v086.i03](https://doi.org/10.18637/jss.v086.i03).

The arguments `user.diagnostics` and `gof.function` enable the specification of user-defined diagnostics and a user-defined goodness-of-fit function. For the former, see the documentation of [diagnostics](#). For the latter, the principles of the same arguments in [getsFun](#) are followed, see its documentation under "Details", and Sucarrat (2020): <https://journal.r-project.org/archive/2021/RJ-2021-024/>.

Value

A list of class 'gets'

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259. doi:10.1016/01651765(80)900245

G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270

Felix Pretis, James Reade and Genaro Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44. doi:10.18637/jss.v086.i03

Genaro Sucarrat (2020): 'User-Specified General-to-Specific and Indicator Saturation Methods'. *The R Journal* 12:2, pages 388-401. <https://journal.r-project.org/archive/2021/RJ-2021-024/>

See Also

Extraction functions: [coef.gets](#), [fitted.gets](#), [paths](#), [plot.gets](#), [print.gets](#), [residuals.gets](#), [summary.gets](#), [terminals](#), [vcov.gets](#)

Related functions: [arx](#), [eqwma](#), [leqwma](#), [zoo](#), [getsFun](#), [qr.solve](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 80)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(2*80), 80, 2)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean, and a log-ARCH(3) with log(xregs^2) as
##regressors in the log-variance:
gum01 <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:3,
  vxreg=log(xregs^2))

##GETS model selection of the mean:
meanmod01 <- getsm(gum01)

##GETS model selection of the log-variance:
varmod01 <- getsv(gum01)

##GETS model selection of the mean with the mean intercept
##excluded from removal:
meanmod02 <- getsm(gum01, keep=1)

##GETS model selection of the mean with non-default
#serial-correlation diagnostics settings:
```

```

meanmod03 <- getsm(gum01, ar.LjungB=list(pval=0.05))

##GETS model selection of the mean with very liberal
##(20 percent) significance levels:
meanmod04 <- getsm(gum01, t.pval=0.2)

##GETS model selection of log-variance with all the
##log-ARCH terms excluded from removal:
varmod03 <- getsv(gum01, keep=2:4)

```

gmm

*Generalised Method of Moment (GMM) estimation of linear models***Description**

Generalised Method of Moment (GMM) estimation of linear models with either ordinary (homoscedastic error) or robust (heteroscedastic error) coefficient-covariance, see Hayashi (2000) chapter 3.

Usage

```

gmm(y, x, z, tol = .Machine$double.eps,
    weighting.matrix = c("efficient", "2sls", "identity"),
    vcov.type = c("ordinary", "robust"))

```

Arguments

| | |
|------------------|---|
| y | numeric vector, the regressand |
| x | numeric matrix, the regressors |
| z | numeric matrix, the instruments |
| tol | numeric value. The tolerance for detecting linear dependencies in the columns of the matrices that are inverted, see the solve function |
| weighting.matrix | a character that determines the weighting matrix to be used, see "details" |
| vcov.type | a character that determines the expression for the coefficient-covariance, see "details" |

Details

weighting.matrix = "identity" corresponds to the Instrumental Variables (IV) estimator, weighting.matrix = "2sls" corresponds to the 2 Stage Least Squares (2SLS) estimator, whereas weighting.matrix = "efficient" corresponds to the efficient GMM estimator, see chapter 3 in Hayashi(2000).

vcov.type = "ordinary" returns the ordinary expression for the coefficient-covariance, which is valid under conditionally homoscedastic errors. vcov.type = "robust" returns an expression that is also valid under conditional heteroscedasticity, see chapter 3 in Hayashi (2000).

Value

A list with, amongst other, the following items:

| | |
|--------------|---|
| n | number of observations |
| k | number of regressors |
| df | degrees of freedom, i.e. n-k |
| coefficients | a vector with the coefficient estimates |
| fit | a vector with the fitted values |
| residuals | a vector with the residuals |
| residuals2 | a vector with the squared residuals |
| rss | the residual sum of squares |
| sigma2 | the regression variance |
| vcov | the coefficient-covariance matrix |
| logl | the normal log-likelihood |

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

F. Hayashi (2000): 'Econometrics'. Princeton: Princeton University Press

See Also

[solve, ols](#)

Examples

```
##generate data where regressor is correlated with error:
set.seed(123) #for reproducibility
n <- 100
z1 <- rnorm(n) #instrument
eps <- rnorm(n) #ensures cor(z,eps)=0
x1 <- 0.5*z1 + 0.5*eps #ensures cor(x,eps) is strong
y <- 0.4 + 0.8*x1 + eps #the dgp
cor(x1, eps) #check correlatedness of regressor
cor(z1, eps) #check uncorrelatedness of instrument

x <- cbind(1,x1) #regressor matrix
z <- cbind(1,z1) #matrix with instruments

##efficient gmm estimation:
mymod <- gmm(y, x, z)
mymod$coefficients

##ols (for comparison):
```

```
mymod <- ols(y,x)
mymod$coefficients
```

hpdata *Hoover and Perez (1999) data*

Description

Data used by Hoover and Perez (1999) in their evaluation of General-to-Specific (GETS) modelling. A detailed description of the data is found in their Table 1 (page 172). The data are quarterly, comprise 20 variables (the first variable is the quarterly index) and runs from 1959:1 to 1995:1. This corresponds to 145 observations. The original source of the data is Citibank.

Usage

```
data(hpdata)
```

Format

Date a factor that contains the (quarterly) dates of the observations
DCOINC index of four coincident indicators
GD GNP price deflator
GGEQ government purchases of goods and services
GGFEQ federal purchases of goods and services
GGFR federal government receipts
GNPQ GNP
GYDQ disposable personal income
GPIQ gross private domestic investment
FMRRR total member bank reserves
FMBASE monetary base (federal reserve bank of St. Louis)
FM1DQ M1
FM2DQ M2
FSDJ Dow Jones stock price
FYAAAC Moody's AAA corporate bond yield
LHC labour force (16 years+, civilian)
LHUR unemployment rate
MU unfilled orders (manufacturing, all industries)
MO new orders (manufacturing, all industries)
GCQ personal consumption expenditure

Details

The data have been used for comparison and illustration of GETS model selection in several studies of the GETS methodology, including Hendry and Krolzig (1999, 2005), Doornik (2009) and Sucarrat and Escribano (2012).

Source

Retrieved 14 October 2014 from: <https://www.csus.edu/indiv/p/perezs/data/data.htm>

References

David F. Hendry and Hans-Martin Krolzig (1999): 'Improving on 'Data mining reconsidered' by K.D. Hoover and S.J Perez', *Econometrics Journal*, Vol. 2, pp. 202-219.

David F. Hendry and Hans-Martin Krolzig (2005): 'The properties of automatic Gets modelling', *Economic Journal* 115, C32-C61.

Jurgen Doornik (2009): 'Autometrics', in Jennifer L. Castle and Neil Shephard (eds), 'The Methodology and Practice of Econometrics: A Festschrift in Honour of David F. Hendry', Oxford University Press, Oxford, pp. 88-121.

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44.

Examples

```
##load Hoover and Perez (1999) data:
data(hpdata)

##make quarterly data-matrix of zoo type:
newhpdata <- zooreg(hpdata[, -1], start=c(1959,1), frequency=4)

##plot data:
plot(newhpdata)

##transform data to log-differences in percent:
dloghpdata <- diff(log(newhpdata))*100

##plot log-differenced data:
plot(dloghpdata)
```

iim

Make Indicator Matrices (Impulses, Steps, Trends)

Description

Auxiliary functions to make, respectively, matrices of impulse indicators (`iim`), step indicators (`sim`) and trend indicators (`tim`)

Usage

```
##make matrix of impulse indicators:
iim(x, which.ones = NULL)

##make matrix of step indicators:
sim(x, which.ones = NULL)

##make matrix of trend indicators:
tim(x, which.ones = NULL, log.trend = FALSE)
```

Arguments

| | |
|------------|---|
| x | either an integer (the length of the series in question) or a series (a vector or matrix) from which to use the time-series index to make indicators of |
| which.ones | the locations of the impulses. If NULL (the default), then all impulses are returned |
| log.trend | logical. If TRUE, then the natural log is applied on the trends |

Details

If x is a series or vector of observations, then the index of x will be used for the labelling of the impulses, and in the returned `zoo` object.

Note: For `sim` and `tim` the first indicator is removed, since it is exactly colinear with the others.

Value

A `zoo` matrix containing the impulses

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`isat`, `zoo`

Examples

```
##generate series:
y <- rnorm(40)

##make matrix of impulse indicators:
mIIM <- iim(40)

##make matrix of step-indicators, but only every third:
mSIM <- sim(y, which.ones=seq(1,40,3))

##give quarterly time-series attributes to y-series:
y <- zooreg(y, frequency=4, end=c(2015,4))
```

```
##make matrix of trend-indicators with quarterly labels:  
mTIM <- tim(y)
```

infldata

Quarterly Norwegian year-on-year CPI inflation

Description

Quarterly Norwegian year-on-year CPI inflation from 1989(1) to 2015(4).

Usage

```
data("infldata")
```

Format

A data frame with 108 observations on the following 5 variables:

date a factor containing the dates

infl year-on-year inflation

q2dum a dummy variable equal to 1 in quarter 2 and 0 otherwise

q3dum a dummy variable equal to 1 in quarter 3 and 0 otherwise

q4dum a dummy variable equal to 1 in quarter 4 and 0 otherwise

Source

Statistics Norway (SSB): <https://www.ssb.no/>. The raw data comprise monthly CPI data obtained via <https://www.ssb.no/statbank/table/08183>.

References

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

Examples

```
data(infldata)  
infldata <- zooreg(infldata[, -1], frequency=4, start=c(1989,1))  
plot(infldata[, "infl"])
```

`infocrit`*Computes the Average Value of an Information Criterion*

Description

Given a log-likelihood, the number of observations and the number of estimated parameters, the average value of a chosen information criterion is computed. This facilitates comparison of models that are estimated with a different number of observations, e.g. due to different lags.

Usage

```
infocrit(x, method=c("sc", "aic", "aicc", "hq"))
```

```
info.criterion(logl, n=NULL, k=NULL, method=c("sc", "aic", "aicc", "hq"))
```

Arguments

| | |
|---------------------|---|
| <code>x</code> | a list that contains, at least, three items: <code>logl</code> (a numeric, the log-likelihood), <code>k</code> (a numeric, usually the number of estimated parameters) and <code>n</code> (a numeric, the number of observations) |
| <code>method</code> | character, either "sc" (default), "aic", "aicc" or "hq" |
| <code>logl</code> | numeric, the value of the log-likelihood |
| <code>n</code> | integer, number of observations |
| <code>k</code> | integer, number of parameters |

Details

Contrary to [AIC](#) and [BIC](#), `info.criterion` computes the average criterion value (i.e. division by the number of observations). This facilitates comparison of models that are estimated with a different number of observations, e.g. due to different lags.

Value

`infocrit`: a numeric (i.e. the value of the chosen information criterion)

`info.criterion`: a list with elements

| | |
|---------------------|--|
| <code>method</code> | type of information criterion |
| <code>n</code> | number of observations |
| <code>k</code> | number of parameters |
| <code>value</code> | the value on the information criterion |

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

- H. Akaike (1974): 'A new look at the statistical model identification'. IEEE Transactions on Automatic Control 19, pp. 716-723
- E. Hannan and B. Quinn (1979): 'The determination of the order of an autoregression'. Journal of the Royal Statistical Society B 41, pp. 190-195
- C.M. Hurvich and C.-L. Tsai (1989): 'Regression and Time Series Model Selection in Small Samples'. Biometrika 76, pp. 297-307
- Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. Journal of Statistical Software 86, Number 3, pp. 1-44
- G. Schwarz (1978): 'Estimating the dimension of a model'. The Annals of Statistics 6, pp. 461-464

isat

Indicator Saturation

Description

The `isat` function undertakes multi-path indicator saturation to detect outliers and mean-shifts using impulses (IIS), step-shifts (SIS), or trend-indicators (TIS). Indicators are partitioned into blocks and selected over at a chosen level of significance (`t.pval`) using the `getsm` function.

Usage

```
isat(y, ...)

##default S3 method:
## Default S3 method:
isat(y, mc=TRUE, ar=NULL, ewma=NULL, mxreg=NULL, iis=FALSE, sis=TRUE,
     tis=FALSE, uis=FALSE, blocks=NULL, ratio.threshold=0.8, max.block.size=30,
     t.pval=0.001, wald.pval=t.pval,
     vcov.type= c("ordinary", "white", "newey-west"), do.pet=FALSE, ar.LjungB=NULL,
     arch.LjungB=NULL, normality.JarqueB=NULL, info.method=c("sc", "aic", "hq"),
     user.diagnostics=NULL, user.estimator=NULL, gof.function=NULL,
     gof.method = c("min", "max"), include.gum=NULL, include.1cut=FALSE,
     include.empty=FALSE, max.paths=NULL, parallel.options=NULL, turbo=FALSE,
     tol=1e-07, LAPACK=FALSE, max.regs=NULL, print.searchinfo=TRUE, plot=NULL,
     alarm=FALSE, ...)

##S3 method for objects of class 'lm':
## S3 method for class 'lm'
isat(y, ar=NULL, ewma=NULL, iis=FALSE, sis=TRUE,
     tis=FALSE, uis=FALSE, blocks=NULL, ratio.threshold=0.8, max.block.size=30,
     t.pval=0.001, wald.pval=t.pval,
     vcov.type= c("ordinary", "white", "newey-west"), do.pet=FALSE, ar.LjungB=NULL,
     arch.LjungB=NULL, normality.JarqueB=NULL, info.method=c("sc", "aic", "hq"),
```

```

user.diagnostics=NULL, user.estimator=NULL, gof.function=NULL,
gof.method = c("min", "max"), include.gum=NULL, include.1cut=FALSE,
include.empty=FALSE, max.paths=NULL, parallel.options=NULL, turbo=FALSE,
tol=1e-07, LAPACK=FALSE, max.regs=NULL, print.searchinfo=TRUE, plot=NULL,
alarm=FALSE, ...)

##S3 method for objects of class 'arx':
## S3 method for class 'arx'
isat(y, mc=TRUE, ar=NULL, ewma=NULL, iis=FALSE, sis=TRUE,
tis=FALSE, uis=FALSE, blocks=NULL, ratio.threshold=0.8, max.block.size=30,
t.pval=0.001, wald.pval=t.pval,
vcov.type= c("ordinary", "white", "newey-west"), do.pet=FALSE, ar.LjungB=NULL,
arch.LjungB=NULL, normality.JarqueB=NULL, info.method=c("sc", "aic", "hq"),
user.diagnostics=NULL, user.estimator=NULL, gof.function=NULL,
gof.method = c("min", "max"), include.gum=NULL, include.1cut=FALSE,
include.empty=FALSE, max.paths=NULL, parallel.options=NULL, turbo=FALSE,
tol=1e-07, LAPACK=FALSE, max.regs=NULL, print.searchinfo=TRUE, plot=NULL,
alarm=FALSE, ...)

```

Arguments

| | |
|------------------------------|--|
| <code>y</code> | numeric vector, time-series, zoo , or object of class <code>lm</code> or <code>arx</code> . Missing values in the beginning and at the end of the series is allowed, as they are removed with the <code>na.trim</code> command |
| <code>mc</code> | logical. TRUE (default) includes an intercept in the mean specification, whereas FALSE does not |
| <code>ar</code> | integer vector, say, <code>c(2,4)</code> or <code>1:4</code> . The AR-lags to include in the mean specification |
| <code>ewma</code> | either NULL (default) or a list with arguments sent to the <code>eqwma</code> function. In the latter case a lagged moving average of <code>y</code> is included as a regressor |
| <code>mxreg</code> | numeric vector or matrix, say, a zoo object, of conditioning variables. Note that missing values in the beginning or at the end of the series is allowed, as they are removed with the <code>na.trim</code> command. Note also that, if both <code>y</code> and <code>mxreg</code> are zoo objects, then their samples are chosen to match |
| <code>iis</code> | logical. If TRUE, impulse indicator saturation is performed. |
| <code>sis</code> | logical. If TRUE, step indicator saturation is performed. |
| <code>tis</code> | logical. If TRUE, trend indicator saturation is performed. |
| <code>uis</code> | a matrix of regressors, or a list of matrices. |
| <code>blocks</code> | NULL (default), an integer (the number of blocks) or a user-specified list that indicates how blocks should be put together. If NULL, then the number of blocks is determined automatically |
| <code>ratio.threshold</code> | Minimum ratio of variables in each block to total observations to determine the block size, default=0.8. Only relevant if <code>blocks = NULL</code> |

| | |
|--------------------------------|--|
| <code>max.block.size</code> | Maximum size of block of variables to be selected over, default=30. Block size used is the maximum of given by either the <code>ratio.threshold</code> and <code>max.block.size</code> |
| <code>t.pval</code> | numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests |
| <code>wald.pval</code> | numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs) |
| <code>vcov.type</code> | the type of variance-covariance matrix used. If NULL (default), then the type used is that of the 'arx' object. This can be overridden by either "ordinary" (i.e. the ordinary variance-covariance matrix) or "white" (i.e. the White (1980) heteroscedasticity robust variance-covariance matrix) |
| <code>do.pet</code> | logical. If TRUE, then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If FALSE (default), then a PET is not undertaken at each regressor removal. By default, the numeric value is the same as that of <code>t.pval</code> |
| <code>ar.LjungB</code> | a two-item list with names <code>lag</code> and <code>pval</code> , or NULL (default). In the former case <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>ar.Ljungb=NULL</code> , then the standardised residuals are not checked for serial correlation |
| <code>arch.LjungB</code> | a two-item list with names <code>lag</code> and <code>pval</code> , or NULL (default). In the former case, <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the squared standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>arch.Ljungb=NULL</code> , then the standardised residuals are not checked for ARCH |
| <code>normality.JarqueB</code> | NULL (the default) or a value between 0 and 1. In the latter case, a test for non-normality is conducted using a significance level equal to <code>normality.JarqueB</code> . If NULL, then no test for non-normality is conducted |
| <code>info.method</code> | character string, "sc" (default), "aic" or "hq", which determines the information criterion to be used when selecting among terminal models. The abbreviations are short for the Schwarz or Bayesian information criterion (sc), the Akaike information criterion (aic) and the Hannan-Quinn (hq) information criterion |
| <code>user.diagnostics</code> | NULL or a list with two entries, <code>name</code> and <code>pval</code> , see the <code>user.fun</code> argument in diagnostics |
| <code>user.estimator</code> | NULL or a list with at least one entry, <code>name</code> , see the <code>user.estimator</code> argument in getsFun |
| <code>gof.function</code> | NULL or a list with at least one entry, <code>name</code> , see the <code>user.estimator</code> argument in getsFun |
| <code>gof.method</code> | NULL or a character that determines whether the best Goodness-of-Fit is a minimum or maximum |
| <code>include.gum</code> | ignored (temporarily deprecated) |

| | |
|-------------------------------|--|
| <code>include.1cut</code> | logical. If TRUE, then the 1-cut model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the 1-cut model is not included (unless it is one of the terminals) |
| <code>include.empty</code> | logical. If TRUE, then an empty model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the empty model is not included (unless it is one of the terminals) |
| <code>max.paths</code> | NULL (default) or an integer indicating the maximum number of paths to search |
| <code>parallel.options</code> | NULL or an integer, i.e. the number of cores/threads to be used for parallel computing (implemented w/makeCluster and parLapply) |
| <code>turbo</code> | logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if turbo=TRUE, then the total search time might in fact be higher than if turbo=FALSE. This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE |
| <code>tol</code> | numeric value (default = 1e-07). The tolerance for detecting linear dependencies in the columns of the regressors (see <code>qr</code> function). Only used if LAPACK is FALSE (default) |
| <code>LAPACK</code> | logical. If TRUE, then use LAPACK. If FALSE (default), then use LINPACK (see <code>qr</code> function) |
| <code>max.regs</code> | integer. The maximum number of regressions along a deletion path. It is not recommended that this is altered |
| <code>print.searchinfo</code> | logical. If TRUE (default), then a print is returned whenever simplification along a new path is started, and whenever regressors are dropped due to exact multicollinearity |
| <code>plot</code> | NULL or logical. If TRUE, then the fitted values and the residuals of the final model are plotted after model selection. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not. |
| <code>alarm</code> | logical. If TRUE, then a sound is emitted (in order to alert the user) when the model selection ends |
| <code>...</code> | further arguments passed to or from other methods |

Details

Multi-path indicator saturation using impulses (IIS), step-shifts (SIS), or trend-indicators (TIS). Indicators are partitioned into sequential blocks (as of beta version 0.7) where the block intervals are defined by the ratio of variables to observations in each block and a specified maximum block size. Indicators are selected over using the `getsm` function. Retained indicators in each block are combined and re-selected over. Fixed covariates that are not selected over can be included in the regression model either in the `mxreg` matrix, or for auto-regressive terms through the `ar` specification. See Hendry, Johansen and Santos (2007) and Castle, Doornik, Hendry, and Pretis (2015)

Value

A list of class 'isat'

Author(s)

Jonas Kurler, <https://www.jonaskurle.com/>
Felix Pretis, <https://felixpretis.climateeconometrics.org/>
James Reade, <https://sites.google.com/site/jjamesreade/>
Moritz Schwarz, <https://www.inet.ox.ac.uk/people/moritz-schwarz>
Genaro Sucarrat <https://www.sucarrat.net/>

References

Castle, Jennifer, L., Doornik, Jurgen, A., Hendry, David F., and Pretis, Felix (2015): 'Detecting Location Shifts during Model Selection by Step-Indicator Saturation', *Econometrics*, vol 3:2, 240-264.

Hendry, David, F., Johansen, Soren, and Santos, Carlos (2007): 'Automatic selection of indicators in a fully saturated regression'. *Computational Statistics*, vol 23:1, pp.317-335.

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

See Also

Extraction functions for 'isat' objects: [coef.isat](#), [fitted.isat](#), [paths](#), [plot.isat](#), [print.isat](#), [residuals.isat](#), [summary.isat](#), [terminals](#), [vcov.isat](#)

Related functions: [arx](#), [eqwma](#), [leqwma](#), [zoo](#), [getsFun](#)

Examples

```
##SIS using the Nile data
data(Nile)
isat(Nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)

##SIS using the Nile data in an autoregressive model
#isat(Nile, ar=1:2, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)

##HP Data
##load Hoover and Perez (1999) data:
#data(hpdata)

##make quarterly data-matrix of zoo type
##(GCQ = personal consumption expenditure):
#y <- zooreg(hpdata$GCQ, 1959, frequency=4)

##transform data to log-differences:
```

```
#dlogy <- diff(log(y))

##run isat with step impulse saturation on four
##lags and a constant 1 percent significance level:
#isat(dlogy, ar=1:4, sis=TRUE, t.pval =0.01)

##Example with additional covariates entering through mxreg:

##(GYDQ = disposable personal income):
#x <- zooreg(hpdata$GYDQ, 1959, frequency=4)

##transform data to log-differences:
#dlogx <- diff(log(x))

##run isat with step impulse saturation on four
##lags and a constant 1 percent significance level:
#isat(dlogy, mxreg=dlogx, ar=1:4, sis=TRUE, t.pval =0.01)
```

isatdates

Extracting Indicator Saturation Breakdates

Description

Takes an `isat` object and extracts the break dates together with their estimated coefficients.

Usage

```
isatdates(x)
```

Arguments

`x` an `isat` object

Details

The function extracts the breakdates determined by `isat` for `iis`, `sis`, and `tis`, together with their estimated coefficients and standard errors.

Value

Returns a list of three elements (one for `iis`, `sis`, and `tis`). Each element lists the name of the break variable, the time index of the break (labelled 'date'), the index of the break date, the estimated coefficient, the standard error of the estimated coefficient, as well as the corresponding t-statistic and p-value.

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Pretis, F., Reade, J., & Sucarrat, G. (2018). Automated General-to-Specific (GETS) regression modeling and indicator saturation methods for the detection of outliers and structural breaks. *Journal of Statistical Software*, 86(3).

See Also

[isat](#)

Examples

```
###Break date extraction of the Nile data
nile <- as.zoo(Nile)
isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)
isatdates(isat.nile)
```

isatloop

Repeated Impulse Indicator Saturation

Description

Runs [isat](#) repeatedly at pre-specified significance levels to yield multiple iterations used in [outlierscaletest](#).

Usage

```
isatloop(num=c(seq(from=20, to=1, by=-1)), t.pval.spec = FALSE,
print=FALSE, y, ar=NULL, iis=TRUE, sis=FALSE, ...)
```

Arguments

| | |
|-------------|--|
| num | numeric, target expected number of outliers under the null hypothesis, or target proportion of outliers if <code>t.pval.spec==TRUE</code> |
| t.pval.spec | logical, if TRUE, then num specifies proportion rather than number of targeted outliers |
| print | logical, if TRUE, then iterations are printed |
| y | numeric vector, time-series or zoo object. Missing values in the beginning and at the end of the series is allowed, as they are removed with the na.trim command |
| ar | integer vector, say, <code>c(2,4)</code> or <code>1:4</code> . The AR-lags to include in the mean specification |
| iis | logical, whether to use iis |
| sis | logical, whether to use sis, default is FALSE |
| ... | any argument from isat can also be used in <code>isatloop</code> |

Details

The function repeatedly runs `isat` detecting outliers in a model of y at different chosen target levels of significance specified in `num`. The output of this function is used as the input for the `outlierscaletest` function. All additional arguments from `isat` can be passed to `isatloop`.

Value

Returns a list of two items. The first item is the number of observations. The second item is a dataframe containing the expected and observed proportion (and number of outliers) for each specified significance level of selection.

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

- Jiao, X. & Pretis, F. (2019). Testing the Presence of Outliers in Regression Models. Discussion Paper.
- Pretis, F., Reade, J., & Sucarrat, G. (2018). Automated General-to-Specific (GETS) regression modeling and indicator saturation methods for the detection of outliers and structural breaks. *Journal of Statistical Software*, 86(3).

See Also

`isat`, `outlierscaletest`

Examples

```
###Repeated isat models using the Nile dataset
### where p-values are chosen such that the expected number of outliers under the null
### corresponds to 1, 2, 3, 4 and 5.
nile <- as.zoo(Nile)
isat.nile.loop <- isatloop(y=nile, iis=TRUE, num=c(1,2, 3, 4, 5))
```

isattest

Indicator Saturation Test

Description

Takes an 'isat' object returned by the `isat` function as input and returns the results of a hypothesis test on the time-varying intercept or long-run equilibrium against a specified null-hypothesis for a chosen level of significance - see Pretis (2015).

Usage

```
isattest(x, hnull=0, lr=FALSE, ci.pval=0.99, plot=NULL, plot.turn=FALSE,
         conscorr=FALSE, effcorr=FALSE, mcor = 1, biascorr=FALSE, mxfull = NULL,
         mxbreak=NULL)
```

Arguments

| | |
|------------------------|--|
| <code>x</code> | a 'gets' object obtained with the <code>isat</code> function |
| <code>hnull</code> | numeric. the null-hypothesis value to be tested against. |
| <code>lr</code> | logical. If TRUE and 'x' contains autoregressive elements, then <code>isattest</code> tests on the long-run equilibrium path. See Pretis (2015). |
| <code>ci.pval</code> | numeric between 0 and 1. Default is 0.99, the level of significance for the confidence interval of the test against 'hnull'. |
| <code>plot</code> | logical. If TRUE, then a plot showing the coefficient path and bias relative to 'hnull' is shown. |
| <code>plot.turn</code> | logical. If TRUE, then the plot output adds the time of the breaks to the plot showing the bias relative to 'hnull'. |
| <code>biascorr</code> | logical. If TRUE, then the coefficient path is bias-corrected using <code>biascorr</code> . This is only valid for the non-dynamic test without additional covariates. |
| <code>conscorr</code> | logical. If TRUE then the Johansen and Nielsen (2016) impulse-indicator consistency correction is applied to estimated residual variance. |
| <code>effcorr</code> | logical. If TRUE then the Johansen and Nielsen (2016) m-step efficiency correction is applied to estimated standard errors of 'fixed' regressors. |
| <code>mcor</code> | integer. The m-step efficiency correction factor, where $m=mcor$. |
| <code>mxfull</code> | string. The name of the full-sample variable when constructing the coefficient path of user-specified break variables. |
| <code>mxbreak</code> | string. The name of the break variables used to construct the coefficient path of user-specified break variables. |

Details

The function tests the coefficient path (or long-run equilibrium path) against a specified null hypothesis at a chosen level of significance. If conducted on an `isat` model of a forecast error or relative forecast differential, then this corresponds to the test of time-varying predictive accuracy of Pretis (2015). The resulting output plot shows the coefficient path in the top panel (where 'hnull' is plotted as dotted lines), with the bias (significant difference relative to 'hnull') in the lower panel. If `mxfull` and `mxbreak` are specified, then the function tests on the coefficient path of the user-specified variable, where `mxfull` denotes the full-sample variable name, to which the `mxbreak` variables are added. To correct for the under-estimation of the residual variance, the argument `conscorr` implements the Johansen and Nielsen (2016) consistency correction, and `effcorr` adds the efficiency correction for standard errors on fixed regressors which are not selected over.

Value

A Tx4 matrix (with T = number of observations) where the first two columns denote the confidence interval of the coefficient path (or the long-run equilibrium path if 'lr=TRUE'). The third and fourth column denote the bias of the coefficient path relative to the chosen null-hypothesis, where 'bias.high' denotes the bias when the series tested is above the hypothesized value, and 'bias.low' denotes the bias when the series tested is significantly below the hypothesized value.

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

Pretis, F. (2015): 'Testing for time-varying predictive accuracy using bias-corrected indicator saturation'. Oxford Department of Economics Discussion Paper.

Hendry, David, F., Johansen, Soren, and Santos, Carlos (2007): 'Automatic selection of indicators in a fully saturated regression'. *Computational Statistics*, vol 23:1, pp.317-335.

See Also

[isat](#), [coef.gets](#), [plot.gets](#), [biascorr](#), [isatvar](#)

Examples

```
##Using artificial data:
#set.seed(123)
#d <- matrix(0,100,1)
#d[35:55] <- 1
#e <- rnorm(100, 0, 1)
#y <- d*2 +e
#plot(y, type="l")

##Static Test against hnull=0 using bias-correction:

#ys <- isat(y, sis=TRUE, iis=FALSE, tis=FALSE, t.pval=0.01)
#isattest(ys, hnull=0, lr=FALSE, ci.pval = 0.99, plot.turn = FALSE, biascorr=TRUE)

##Dynamic Test of the long-run equilibrium against hnull=2 with breakpoints
##labelled in the plot:

#ys <- isat(y, sis=TRUE, iis=FALSE, tis=FALSE, t.pval=0.01, ar=1:2)
#isattest(ys, hnull=2, lr=TRUE, ci.pval = 0.99, plot.turn = TRUE, biascorr=FALSE)
```

isatvar

*Variance of the coefficient path***Description**

Takes an 'isat' object returned by the `isat` function as input and returns the coefficient path of the constant (and long-run equilibrium if 'lr' is specified) together with its approximate variance and standard errors. If `mxfull` and `mxbreak` are specified, then the function returns the coefficient path of the user-specified variable.

Usage

```
isatvar(x, lr=FALSE, conscorr=FALSE, effcorr=FALSE, mcor = 1,
        mxfull = NULL, mxbreak=NULL)
```

Arguments

| | |
|-----------------------|--|
| <code>x</code> | a 'gets' object obtained with the <code>isat</code> function |
| <code>lr</code> | logical. If TRUE and 'x' contains autoregressive elements, then <code>isatvar</code> also returns the long-run equilibrium coefficient path with its variance and standard deviation. See Pretis (2015). |
| <code>conscorr</code> | logical. If TRUE then the Johansen and Nielsen (2016) impulse-indicator consistency correction is applied to estimated residual variance. |
| <code>effcorr</code> | logical. If TRUE then the Johansen and Nielsen (2016) m-step efficiency correction is applied to estimated standard errors of 'fixed' regressors. |
| <code>mcor</code> | integer. The m-step efficiency correction factor, where $m=mcor$. |
| <code>mxfull</code> | string. The name of the full-sample variable when constructing the coefficient path of user-specified break variables. |
| <code>mxbreak</code> | string. The name of the break variables used to construct the coefficient path of user-specified break variables. |

Details

The function computes the approximate variance and standard errors of the intercept term with structural breaks determined by `isat`. This permits hypothesis testing and plotting of approximate confidence intervals for the intercept in the presence of structural breaks. For dynamic autoregressive models in `isat` the `lr` argument returns the time-varying long-run equilibrium together with its approximate variance and standard errors. If `mxfull` and `mxbreak` are specified, then the function returns the coefficient path of the user-specified variable, where `mxfull` denotes the full-sample variable name, to which the `mxbreak` variables are added. To correct for the under-estimation of the residual variance, the argument `conscorr` implements the Johansen and Nielsen (2016) consistency correction, and `effcorr` adds the efficiency correction for standard errors on fixed regressors which are not selected over.

Value

If `lr=FALSE`: A $T \times 4$ matrix (with T = number of observations) where the first column denotes the coefficient path relative to the full sample coefficient, the second column the coefficient path of the intercept, the third the approximate variance of the coefficient path, and the fourth column the approximate standard errors of the coefficient path. If `lr=TRUE`: A $T \times 7$ matrix where the first four columns are identical to the `lr=FALSE` case, and the additional columns denote the long-run equilibrium coefficient path, together with the approximate variance and standard errors of the long-run equilibrium coefficient path.

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>
James Reade, <https://sites.google.com/site/jjamesreade/>

References

Pretis, F. (2015): 'Testing for time-varying predictive accuracy using bias-corrected indicator saturation'. Oxford Department of Economics Working Paper.

Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

See Also

[isat](#), [coef.gets](#), [plot.gets](#), [biascorr](#), [isattest](#)

Examples

```
##Variance in presence of a break
#nile <- as.zoo(Nile)
#isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=FALSE, t.pval=0.005)
#var <- isatvar(isat.nile)

#plot(nile)
#lines(isat.nile$mean.fit, col="red")
#lines(isat.nile$mean.fit + 2*var$const.se, col="blue", lty=3)
#lines(isat.nile$mean.fit - 2*var$const.se, col="blue", lty=3)

##Variance when there is no break
#set.seed(1)
#x <- as.zoo(rnorm(100, 0, 1))
#isat.x <- isat(x, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)
#var.x <- isatvar(isat.x)

#plot(x)
#lines(isat.x$mean.fit, col="red")
#lines(isat.x$mean.fit + 2*var.x[,2], col="blue", lty=3)
#lines(isat.x$mean.fit - 2*var.x[,2], col="blue", lty=3)
```

```
##Variance of the long-run equilibrium coefficient path  
  
#nile <- as.zoo(Nile)  
#isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005, ar=1:2)  
#var <- isatvar(isat.nile, lr=TRUE)
```

isatvarcorrect *Consistency and Efficiency Correction for Impulse Indicator Saturation*

Description

Takes an `isat` object and corrects the estimates of the error variance and the estimated standard errors of 'forced' regressors.

Usage

```
isatvarcorrect(x, mcor=1)
```

Arguments

| | |
|-------------------|---|
| <code>x</code> | an <code>isat</code> object |
| <code>mcor</code> | integer, number of iterations in the correction. Default = 1. |

Details

Impulse indicator saturation results in an under-estimation of the error variance as well as the variance of regressors not selected over. The magnitude of the inconsistency increases with the p-value of selection (`t.pval`). The function takes an `isat` object and applies the impulse indicator consistency (`isvarcor`) and efficiency correction (`isvareffcor`) of the estimated error variance and the estimated variance of regressors not selected over. See Johansen and Nielsen (2016a) and (2016b).

Value

Returns an `isat` object in which the estimated standard errors, t-statistics, p-values, standard error of the regression, and log-likelihood are consistency and efficiency corrected when using impulse indicator saturation (`iis=TRUE`).

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

- Johansen, S., & Nielsen, B. (2016a). Asymptotic theory of outlier detection algorithms for linear time series regression models. *Scandinavian Journal of Statistics*, 43(2), 321-348.
- Johansen, S., & Nielsen, B. (2016b). Rejoinder: Asymptotic Theory of Outlier Detection Algorithms for Linear. *Scandinavian Journal of Statistics*, 43(2), 374-381.
- Pretis, F., Reade, J., & Sucarrat, G. (2018). Automated General-to-Specific (GETS) regression modeling and indicator saturation methods for the detection of outliers and structural breaks. *Journal of Statistical Software*, 86(3).

See Also

[isat](#), [isvarcor](#), [isvareffcor](#)

Examples

```
###Consistency and Efficiency Correction of Impulse Indicator Estimates
nile <- as.zoo(Nile)
isat.nile <- isat(nile, sis=FALSE, iis=TRUE, plot=TRUE, t.pval=0.1)
isat.nile.corrected <- isatvarcorrect(isat.nile)

isat.nile$sigma2
isat.nile.corrected$sigma2
```

isvarcor

IIS Consistency Correction

Description

Consistency correction for estimate of residual variance when using impulse indicator saturation.

Usage

```
isvarcor(t.pval, sigma)
```

Arguments

| | |
|--------|---|
| t.pval | numeric value. the p-value of selection in the impulse indicator saturation model. |
| sigma | numeric value. The estimated standard deviation of the residuals from the impulse indicator saturation model. |

Details

The Johansen and Nielsen (2016) impulse-indicator consistency correction for the estimated residual standard deviation.

Value

a data frame containing the corrected standard deviation `$sigma.cor` and the correction factor used `$corxi`

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

See Also

[isatvar](#)

Examples

```
isvarcor(t.pval=0.05, sigma=2)
```

isvareffcor

IIS Efficiency Correction

Description

Efficiency correction for the estimates of coefficient standard errors on fixed regressors.

Usage

```
isvareffcor(t.pval, se, m=1)
```

Arguments

| | |
|---------------------|---|
| <code>t.pval</code> | numeric value. the p-value of selection in the impulse indicator saturation model. |
| <code>se</code> | numeric value or vector. The estimated standard errors of the coefficients on fixed regressors in impulse indicator saturation model. |
| <code>m</code> | integer. The m-step correction factor. |

Details

The Johansen and Nielsen (2016) impulse-indicator efficiency correction for the estimated standard errors on fixed regressors in impulse indicator models.

Value

a data frame containing the corrected standard deviation `$se.cor` and the correction factor used `$eta.m`

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

See Also

[isatvar](#)

Examples

```
isvareffcor(t.pval=0.05, se=2, m=1)
```

larch

Estimate a heterogeneous log-ARCH-X model

Description

The function `larch()` estimates a heterogeneous log-ARCH-X model, which is a generalisation of the dynamic log-variance model in Pretis, Reade and Sucarrat (2018). Internally, estimation is undertaken by a call to `larchEstfun`. The log-variance specification can contain log-ARCH terms, log-HARCH terms, asymmetry terms ('leverage'), the log of volatility proxies made up of past returns and other covariates ('X'), for example Realised Volatility (RV), volume or the range.

Usage

```
larch(e, vc=TRUE, arch = NULL, harch = NULL, asym = NULL, asymind = NULL,  
      log.ewma = NULL, vxreg = NULL, zero.adj = NULL,  
      vcov.type = c("robust", "hac"), qstat.options = NULL,  
      normality.JarqueB = FALSE, tol = 1e-07, singular.ok = TRUE, plot = NULL)
```

Arguments

| | |
|--------------------------------|---|
| <code>e</code> | numeric vector, time-series or <code>zoo</code> object. Missing values in the beginning and at the end of the series is allowed, as they are removed with the <code>na.trim</code> command |
| <code>vc</code> | logical. TRUE includes an intercept in the log-variance specification. Currently, <code>vc</code> cannot be set to any other value than TRUE |
| <code>arch</code> | either NULL (default) or an integer vector, say, <code>c(1,3)</code> or <code>2:5</code> . The log-ARCH lags to include in the log-variance specification |
| <code>harch</code> | either NULL (default) or an integer vector, say, <code>c(5,10)</code> . The (log of) heterogeneous ARCH terms (Muller et al. 1997) to include |
| <code>asym</code> | either NULL (default) or an integer vector, say, <code>c(1)</code> or <code>1:3</code> . The asymmetry (i.e. 'leverage') terms to include in the log-variance specification |
| <code>asymind</code> | either NULL (default) or an integer vector. The indicator asymmetry terms to include |
| <code>log.ewma</code> | either NULL (default) or a vector of the lengths of the volatility proxies, see <code>leqmma</code> . The terms serve as (log of) volatility proxies similar to RVs in the HAR-model of Corsi (2009). Here, the <code>log.ewma</code> terms are made up of past <code>e</code> 's |
| <code>vxreg</code> | either NULL (default) or a numeric vector or matrix, say, a <code>zoo</code> object. If both <code>e</code> and <code>vxreg</code> are <code>zoo</code> objects, then their samples are chosen to match |
| <code>zero.adj</code> | NULL (default) or a strictly positive numeric scalar. If NULL, the zeros in the squared residuals are replaced by the 10 percent quantile of the non-zero squared residuals. If <code>zero.adj</code> is a strictly positive numeric scalar, then this value is used to replace the zeros of the squared <code>e</code> 's |
| <code>vcov.type</code> | character. "robust" (default) or "hac" (partial matching is allowed). If "robust", the robust variance-covariance matrix of the White (1980) type is used. If "hac", the Newey and West (1987) heteroscedasticity and autocorrelation-robust matrix is used |
| <code>qstat.options</code> | NULL (default) or an integer vector of length two, say, <code>c(1,1)</code> . The first value sets the lag-order of the AR diagnostic test of the standardised residuals, whereas the second value sets the lag-order of the ARCH diagnostic test of the standardised residuals. If NULL, then the two values of the vector are set automatically |
| <code>normality.JarqueB</code> | FALSE (default) or TRUE. If TRUE, then the results of the Jarque and Bera (1980) test for non-normality in the residuals are included in the estimation results |
| <code>tol</code> | numeric value. The tolerance (the default is $1e-07$) for detecting linear dependencies in the columns of the regressors (see <code>ols</code> and <code>qr</code>). Only used if LAPACK is FALSE (default) |
| <code>singular.ok</code> | logical. If TRUE (default), the regressors are checked for singularity, and the ones causing it are automatically removed. If FALSE, then the function returns an error |
| <code>plot</code> | NULL (default) or logical. If TRUE, the fitted values and the residuals are plotted. If NULL, then the value set by <code>options</code> determines whether a plot is produced or not |

Details

No details for the moment

Value

A list of class 'larch'

Author(s)

Genaro Sucarrat: <https://www.sucarrat.net/>

References

- G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270
- F. Corsi (2009): 'A Simple Approximate Long-Memory Model of Realized Volatility', *Journal of Financial Econometrics* 7, pp. 174-196
- C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259. doi:10.1016/01651765(80)900245
- U. Muller, M. Dacorogna, R. Dave, R. Olsen, O. Pictet and J. von Weizsacker (1997): 'Volatilities of different time resolutions - analyzing the dynamics of market components'. *Journal of Empirical Finance* 4, pp. 213-239
- F. Pretis, J. Reade and G. Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44. doi:10.18637/jss.v086.i03
- H. White (1980): 'A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity', *Econometrica* 48, pp. 817-838.
- W.K. Newey and K.D. West (1987): 'A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix', *Econometrica* 55, pp. 703-708.

See Also

Methods and extraction functions (mostly S3 methods): [coef.larch](#), [ES](#), [fitted.larch](#), [gets.larch](#), [logLik.larch](#), [nobs.larch](#), [plot.larch](#), [predict.larch](#), [print.larch](#), [residuals.larch](#), [summary.larch](#), [VaR](#), [toLatex.larch](#) and [vcov.arx](#)

[regressorsVariance](#)

Examples

```
##Simulate some data:
set.seed(123)
e <- rnorm(40)
x <- matrix(rnorm(40*2), 40, 2)

##estimate a log-variance specification with a log-ARCH(4)
##structure:
```

```

larch(e, arch=1:4)

##estimate a log-variance specification with a log-ARCH(4)
##structure, a log-HARCH(5) term and a first-order asymmetry/leverage
##term:
larch(e, arch=1:4, harch=5, asym=1)

##estimate a log-variance specification with a log-ARCH(4)
##structure, an asymmetry/leverage term, a 10-period log(EWMA) as
##volatility proxy, and the log of the squareds of the conditioning
##regressors in the log-variance specification:
larch(e, arch=1:4, asym=1, log.ewma=list(length=10), vxreg=log(x^2))

```

larchEstfun

Estimation of a log-variance model

Description

Two-step estimation of a log-variance model: OLS in step 1, bias correction w/residuals in step 2 (see the code for details). The function `larchEstfun()` is not intended for the average user, but is called by `larch` and `gets.larch`.

Usage

```
larchEstfun(log2, x, e, vcov.type = c("robust", "hac"), tol = 1e-07)
```

Arguments

| | |
|------------------------|---|
| <code>log2</code> | numeric vector, the log of the squared errors 'e' (adjusted for zeros on e, if any) |
| <code>x</code> | numeric matrix, the regressors |
| <code>e</code> | numeric vector, the errors |
| <code>vcov.type</code> | character vector, "robust" (default) or "hac". If "robust", then the White (1980) heteroscedasticity-robust variance-covariance matrix is used for inference. If "hac", then the Newey and West (1987) heteroscedasticity and autocorrelation-robust matrix is used |
| <code>tol</code> | numeric value. The tolerance for detecting linear dependencies in the columns of the regressors in the first step estimation by OLS, see <code>ols</code> . Only used if LAPACK is FALSE |

Details

No details for the moment.

Value

A [list](#).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

No references for the moment.

See Also

[qr](#), [larch](#), [gets.larch](#)

Examples

```
##no examples for the moment
```

| | |
|-------|------------------------------------|
| logit | <i>Estimation of a logit model</i> |
|-------|------------------------------------|

Description

Maximum Likelihood (ML) estimation of a logit model.

Usage

```
logit(y, x, initial.values = NULL, lower = -Inf, upper = Inf,
      method = 2, lag.length = NULL, control = list(), eps.tol = .Machine$double.eps,
      solve.tol = .Machine$double.eps )
```

Arguments

| | |
|----------------|---|
| y | numeric vector, the binary process |
| x | numeric matrix, the regressors |
| initial.values | NULL or a numeric vector with the initial parameter values passed on to the optimisation routine, nlminb . If NULL, the default, then the values are chosen automatically |
| lower | numeric vector, either of length 1 or the number of parameters to be estimated, see nlminb |
| upper | numeric vector, either of length 1 or the number of parameters to be estimated, see nlminb |
| method | an integer that determines the expression for the coefficient-covariance, see "details" |
| lag.length | NULL or an integer that determines the lag-length used in the robust coefficient covariance. If lag.length is an integer, then it is ignored unless method = 3 |
| control | a list passed on to the control argument of nlminb |

| | |
|-----------|---|
| eps.tol | numeric, a small value that ensures the fitted zero-probabilities are not too small when the log-transformation is applied when computing the log-likelihood |
| solve.tol | numeric value passed on to the tol argument of <code>solve</code> , which is called whenever the coefficient-coariance matrix is computed. The value controls the tolerance for detecting linear dependence between columns when inverting a matrix |

Details

No details for the moment.

Value

A `list`.

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

No references for the moment.

See Also

`nlminb`, `solve`

Examples

```
##no examples for the moment
```

logitx

Estimate an autoregressive logit model with covariates

Description

Estimate a dynamic Autoregressive (AR) logit model with covariates ('X') by maximising the logit likelihood.

Usage

```
logitx(y, intercept = TRUE, ar = NULL, ewma = NULL, xreg = NULL,
       vcov.type = c("ordinary", "robust"), lag.length = NULL,
       initial.values = NULL, lower = -Inf, upper = Inf, control = list(),
       eps.tol = .Machine$double.eps, solve.tol = .Machine$double.eps,
       singular.ok = TRUE, plot = NULL)
```

```
dlogitx(y, ...)
```

Arguments

| | |
|-----------------------------|--|
| <code>y</code> | a binary numeric vector, time-series or <code>zoo</code> object. Missing values in the beginning and at the end of the series is allowed, as they are removed with the <code>na.trim</code> command |
| <code>intercept</code> | logical. TRUE, the default, includes an intercept in the logit specification, whereas FALSE does not |
| <code>ar</code> | either NULL (default) or an integer vector, say, <code>c(2,4)</code> or <code>1:4</code> . The AR-lags to include in the logit specification. If NULL, then no lags are included |
| <code>ewma</code> | either NULL (default) or a <code>list</code> with arguments sent to the <code>eqwma</code> function. In the latter case a lagged moving average of <code>y</code> is included as a regressor |
| <code>xreg</code> | either NULL (default) or a numeric vector or matrix, say, a <code>zoo</code> object, of covariates. Note that, if both <code>y</code> and <code>xreg</code> are <code>zoo</code> objects, then their samples are chosen to match |
| <code>vcov.type</code> | character vector of length 1, either "ordinary" (default) or "robust". Partial matching is allowed. If "ordinary", then the ordinary variance-covariance matrix is used for inference. If "robust", then a robust coefficient-covariance of the Newey and West (1987) type is used |
| <code>lag.length</code> | NULL or an integer that determines the lag-length used in the robust coefficient covariance. If <code>lag.length</code> is an integer, then it is ignored unless <code>method = 3</code> |
| <code>initial.values</code> | NULL or a numeric vector with the initial parameter values passed on to the optimisation routine, <code>nlminb</code> . If NULL, the default, then the values are chosen automatically |
| <code>lower</code> | numeric vector, either of length 1 or the number of parameters to be estimated, see <code>nlminb</code> |
| <code>upper</code> | numeric vector, either of length 1 or the number of parameters to be estimated, see <code>nlminb</code> |
| <code>control</code> | a <code>list</code> passed on to the control argument of <code>nlminb</code> |
| <code>eps.tol</code> | numeric, a small value that ensures the fitted zero-probabilities are not too small when the log-transformation is applied when computing the log-likelihood |
| <code>solve.tol</code> | numeric value passed on to the <code>tol</code> argument of <code>solve</code> , which is called whenever the coefficient-coariance matrix is computed. The value controls the tolerance for detecting linear dependence between columns when inverting a matrix |
| <code>singular.ok</code> | logical. If TRUE (default), then the regressors causing the singularity are dropped (using <code>dropvar</code>) before estimation. If FALSE, singularity returns error |
| <code>plot</code> | NULL or logical. If TRUE, then a plot is produced. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not. |
| <code>...</code> | arguments passed on to <code>logitx</code> |

Details

The function estimates a dynamic Autoregressive (AR) logit model with (optionally) covariates ('X') by maximising the logit likelihood. The estimated model is an augmented version of the model considered by Kauppi and Saikkonen (2008). Also, they considered estimation is by maximisation of the probit likelihood. Here, by contrast, estimation is by maximisation of the logit likelihood.

Value

A list of class 'logitx'.

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Heikki Kauppi and Pentti Saikkonen (2008): 'Predicting U.S. Recessions with Dynamic Binary Response Models'. The Review of Economics and Statistics 90, pp. 777-791

Whitney K. Newey and Kenned D. West (1987): 'A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix', Econometrica 55, pp. 703-708

See Also

Methods: [coef.logitx](#), [fitted.logitx](#), [gets.logitx](#), [logLik.logitx](#), [plot.logitx](#), [print.logitx](#), [summary.logitx](#), [toLatex.logitx](#) and [vcov.logitx](#)

Related functions: [logitxSim](#), [logit](#), [nlminb](#)

Examples

```
##simulate from ar(1):
set.seed(123) #for reproducibility
y <- logitxSim(100, ar=0.3)

##estimate ar(1) and store result:
mymod <- logitx(y, ar=1)

##estimate ar(4) and store result:
mymod <- logitx(y, ar=1:4)

##create some more data, estimate new model:
x <- matrix(rnorm(5*100), 100, 5)
mymod <- logitx(y, ar=1:4, xreg=x)
```

logitxSim

Simulate from a dynamic logit-x model

Description

Simulate from a dynamic Autoregressive (AR) logit model with covariates ('X'). This model is essentially a logit-version of the model of Kauppi and Saikkonen (2008).

Usage

```
logitxSim(n, intercept = 0, ar = NULL, xreg = NULL, verbose = FALSE,  
          as.zoo = TRUE)
```

```
dlogitxSim(n, ...)
```

Arguments

| | |
|-----------|---|
| n | integer, the number of observations to generate |
| intercept | numeric, the value of the intercept in the logit specification |
| ar | NULL or a numeric vector with the autoregressive parameters |
| xreg | NULL or numeric vector with the values of the X-term |
| verbose | logical. If FALSE, then only the binary process (a vector) is returned. If TRUE, then a matrix with all the simulated information is returned (binary process, probabilities, etc.) |
| as.zoo | logical. If TRUE, then the returned object - a vector or matrix - will be of class <code>zoo</code> |
| ... | arguments passed on to <code>logitxSim</code> |

Details

No details, for the moment.

Value

A vector or matrix, depending on whether `verbose` is FALSE or TRUE, of class `zoo`, depending on whether `as.zoo` is TRUE or FALSE

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Heikki Kauppi and Pentti Saikkonen (2008): 'Predicting U.S. Recessions with Dynamic Binary Response Models'. *The Review of Economic Statistics* 90, pp. 777-791

See Also

[logitx](#)

Examples

```
##simulate from ar(1):  
set.seed(123) #for reproducibility  
y <- logitxSim(100, ar=0.3)  
  
##more output (value, probability, logit):
```

```
set.seed(123) #for reproducibility
y <- logitxSim(100, ar=0.3, verbose=TRUE)
```

mvnormsim

Simulate from a Multivariate Normal Distribution

Description

Produces one or more samples from the specified multivariate normal distribution. Used in [outlierscaletest](#).

Usage

```
mvnormsim(n = 1, mu, Sigma, tol = 1e-6, empirical = FALSE)
```

Arguments

| | |
|-----------|---|
| n | the number of samples required. |
| mu | a vector giving the means of the variables. |
| Sigma | a positive-definite symmetric matrix specifying the covariance matrix of the variables. |
| tol | tolerance (relative to largest variance) for numerical lack of positive-definiteness in Sigma. |
| empirical | logical. If true, mu and Sigma specify the empirical not population mean and covariance matrix. |

Details

Original function mvnorm developed by Venables, W. N. & Ripley. in package MASS, <https://CRAN.R-project.org/package=MASS>.

Value

If n = 1 a vector of the same length as mu, otherwise an n by length(mu) matrix with one sample in each row.

Author(s)

Venables, W. N. & Ripley, with modifications by Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Venables, W. N. & Ripley, B. D. (2019): 'MASS: Support Functions and Datasets for Venables and Ripley's MASS'. <https://CRAN.R-project.org/package=MASS>

Venables, W. N. & Ripley, B. D. (2002) Modern Applied Statistics with S. Fourth Edition. Springer, New York. ISBN 0-387-95457-0

See Also[outlierscaletest](#)**Examples**

```
Sigma <- matrix(c(3,2,1,7),2,2)
mvrnormsim(n=2, mu=c(1,2), Sigma)
```

ols

*OLS estimation***Description**

OLS estimation with the QR decomposition and, for some options, computation of variance-covariance matrices

Usage

```
ols(y, x, untransformed.residuals=NULL, tol=1e-07, LAPACK=FALSE, method=3,
    variance.spec=NULL, ...)
```

Arguments

| | |
|--------------------------------------|--|
| <code>y</code> | numeric vector, the regressand |
| <code>x</code> | numeric matrix, the regressors |
| <code>untransformed.residuals</code> | NULL (default) or, when <code>ols</code> is used with <code>method=6</code> , a numeric vector containing the untransformed residuals |
| <code>tol</code> | numeric value. The tolerance for detecting linear dependencies in the columns of the regressors, see the <code>.lm.fit</code> function |
| <code>LAPACK</code> | deprecated and ignored |
| <code>method</code> | an integer, 1 to 6, that determines the estimation method |
| <code>variance.spec</code> | NULL or a list with items that specifies the log-variance model to be estimated, see arx |
| <code>...</code> | further arguments (currently ignored) |

Details

`method = 1` or `method = 2` only returns the OLS coefficient estimates together with the QR- information, the former being slightly faster. `method=3` returns, in addition, the ordinary variance-covariance matrix of the OLS estimator. `method=4` returns the White (1980) heteroscedasticity robust variance-covariance matrix in addition to the information returned by `method=3`, whereas `method=5` does the same except that the variance-covariance matrix now is that of Newey and West (1987). `method=6` undertakes OLS estimation of a log-variance model, see Pretis, Reade and Suncarrat (2018, Section 4). Alternatively, for `method 1` to `5`, a log-variance model is also estimated if `variance.spec` is not NULL.

Value

A list with items depending on method

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

W. Newey and K. West (1987): 'A Simple Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix', *Econometrica* 55, pp. 703-708.

F. Pretis, J. Reade and G. Sucarrat (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks', *Journal of Statistical Software* 86, Issue 3, pp. 1-44, DOI: <https://doi.org/10.18637/jss.v086.i03>

H. White (1980): 'A Heteroskedasticity-Consistent Covariance Matrix and a Direct Test for Heteroskedasticity', *Econometrica* 48, pp. 817-838.

See Also

[.lm.fit](#), [qr](#), [solve.qr](#), [arx](#)

outlierscaletest

Sum and Sup Scaling Outlier Tests

Description

Computes the Sum and Supremum Scaling Tests for the overall presence of outliers based on Jiao and Pretis (2019).

Usage

```
outlierscaletest(x, nsim = 10000)
```

Arguments

| | |
|------|--|
| x | list, output of the isatloop function |
| nsim | integer, number of replications to simulate critical values for the Sup test |

Details

The function takes the output of the [isatloop](#) function and computes the Scaling Sum and Supremum Tests for the presence of outliers from Jiao and Pretis (2019). The test compares the expected and observed proportion of outliers over the range of different significance levels of selection specified in [isatloop](#). The Sum test compares the sum of deviations against the standard normal distribution, the Sup test compares the supremum of deviations against critical values simulated with `nsim` replications. The null hypothesis is that the observed proportion of outliers scales with the proportion of outliers under the null of no outliers.

Value

Returns a list of two `htest` objects. The first providing the results of the Sum test on the sum of the deviation of outliers against a standard normal distribution. The second providing the results on the supremum of the deviation of outliers against simulated critical values.

Author(s)

Xiyu Jiao, & Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Jiao, X. & Pretis, F. (2019). Testing the Presence of Outliers in Regression Models. Discussion Paper.

Pretis, F., Reade, J., & Sucarrat, G. (2018). Automated General-to-Specific (GETS) regression modeling and indicator saturation methods for the detection of outliers and structural breaks. *Journal of Statistical Software*, 86(3).

See Also

[isat](#), [isatloop](#)

Examples

```
###Repeated isat models using the Nile dataset
### where p-values are chosen such that the expected number of outliers under the null
### corresponds to 1, 2, ..., 20. Then computing the Outlier Scaling Tests:

#nile <- as.zoo(Nile)
#isat.nile.loop <- isatloop(y=nile)
#outlierscaletest(isat.nile.loop)
```

outliertest

Jiao and Pretis Outlier Proportion and Count Tests

Description

Tests whether the proportion (or number) of outliers detected using impulse indicator saturation is different from the proportion (or number) of outliers expected under the null hypothesis of no outliers using the Jiao and Pretis (2019) proportion and count outlier tests.

Usage

```
outliertest(x, noutl=NULL, t.pval=NULL, T=NULL,
m=1, infty=FALSE, alternative="two.sided")
```

Arguments

| | |
|-------------|---|
| x | an <code>isat</code> object |
| nout1 | integer, number of detected outliers if no <code>isat</code> object is provided i.e. x=NULL |
| t.pval | numeric, between 0 and 1. Selection p-value used in indicator saturation if no <code>isat</code> object is provided i.e. x=NULL |
| T | integer, sample sized used in indicator saturation if no <code>isat</code> object is provided i.e. x=NULL |
| m | integer, number of iterations in variance computation, default=1 |
| infty | logical, argument used for variance computation |
| alternative | "two-sided", "less", "greater", alternative hypothesis of outlier test. |

Details

The function computes the estimated proportion of outliers (gauge) based on impulse indicator saturation and constructs the proportion and count outlier test statistics from Jiao and Pretis (2019). The null hypothesis is that the proportion (or count) of outliers is not different than the proportion (or count) of outliers detected under the null hypothesis of no outliers. The first test compares the estimated proportion of outliers scaled by its estimated variance against a standard normal distribution. The second test compares the number of outliers against a Poisson distribution. If an `isat` object is provided in `x`, then the function automatically extracts the detected impulses and computes the estimated outlier proportion. If no `isat` object is provided and `x=NULL`, then the tests can be conducted manually by providing the number of detected outliers (`nout1`), the sample size (`T`), and the chosen level of significance used to detect outliers (`t.pval`).

Value

Returns a list of two `htest` objects. The first providing the results of the test on the proportion of outliers against a standard normal distribution. The second providing the results on the number of outliers against the Poisson distribution.

Author(s)

Xiyu Jiao, & Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

- Jiao, X. & Pretis, F. (2019). Testing the Presence of Outliers in Regression Models. Discussion Paper.
- Pretis, F., Reade, J., & Sucarrat, G. (2018). Automated General-to-Specific (GETS) regression modeling and indicator saturation methods for the detection of outliers and structural breaks. *Journal of Statistical Software*, 86(3).

See Also

`isat`

Examples

```

###Testing the Presence of Outliers in the Nile Data
nile <- as.zoo(Nile)
isat.nile <- isat(nile, sis=FALSE, iis=TRUE, plot=TRUE, t.pval=0.1)
outliertest(isat.nile)

###Testing the number of outliers when the sample is T=200,
### with 7 detected outliers at t.pval=0.05 if no isat object is provided:
outliertest(x=NULL, nou=7, t.pval=0.05, T=200)

```

paths

*Extraction functions for 'arx', 'gets' and 'isat' objects***Description**

Extraction functions for objects of class 'arx', 'gets' and 'isat'

Usage

```

paths(object, ...)
terminals(object, ...)
rsquared(object, adjusted=FALSE, ...)

```

Arguments

| | |
|----------|---|
| object | an object of class 'arx', 'gets' or 'isat' |
| adjusted | logical. If TRUE the adjusted R-squared is returned |
| ... | additional arguments |

Details

paths and terminals can only be applied on objects of class 'gets' and 'isat'

Value

| | |
|------------|--|
| paths: | a list with the paths searched (each number refers to a regressor in the GUM) |
| terminals: | a list with the terminal models (each number refers to a regressor in the GUM) |
| rsquared: | a numeric , the R-squared of the regression, or adjusted R-squared if adjusted is set to TRUE |

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[getsm](#), [getsm](#), [getsv](#), [isat](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 50)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*50), 50, 4)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean:
mymod <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs)
rsquared(mymod)
rsquared(mymod, adjusted=TRUE)

##General-to-Specific (GETS) modelling of the mean:
meanmod <- getsm(mymod)
rsquared(meanmod)
rsquared(meanmod, adjusted=TRUE)

##extract the paths searched:
paths(meanmod)

##extract the terminal models:
terminals(meanmod)
```

periodicdummies

Make matrix of periodicity (e.g. seasonal) dummies

Description

Auxiliary function that creates periodicity dummies (e.g. seasonal dummies) for regular time series. The function is similar to, but more general than, the [seasonaldummy](#) function in the package **forecast**.

Usage

```
periodicdummies(x, values=1)
```

Arguments

| | |
|--------|---|
| x | a regular time series (vector or matrix) |
| values | numeric of length 1 (default) or numeric vector of length equal to frequency(x) |

Value

A matrix of class [zoo](#) with periodicity dummies

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[is.regular](#), [zooreg](#), [zoo](#), [ts](#)

Examples

```
##quarterly dummies:
x <- zooreg(rnorm(30), start=2000, frequency=4)
periodicdummies(x)

##monthly dummies:
y <- zooreg(rnorm(30), start=c(2000,1), frequency=12)
periodicdummies(y)
```

predict.arx

Forecasting with 'arx' models

Description

Generate out-of-sample forecasts up to `n` steps ahead for objects of class `arx`. Optionally, quantiles of the forecasts are also returned if any of the arguments `ci.levels` or `probs` are specified. The forecasts, confidence intervals and quantiles are obtained via simulation. By default, 5000 simulations is used, but this can be changed via the `n.sim` argument. Also by default, the simulations uses a classical bootstrap to sample from the standardised residuals. To use an alternative set of standardised innovations, for example the standard normal, use the `innov` argument. If `plot=TRUE`, then a plot of the forecasts is created.

Usage

```
## S3 method for class 'arx'
predict(object, spec=NULL, n.ahead=12, newmxreg=NULL,
        newvxreg=NULL, newindex=NULL, n.sim=5000, innov=NULL, probs=NULL,
        ci.levels=NULL, quantile.type=7, return=TRUE, verbose=FALSE,
        plot=NULL, plot.options=list(), ...)
```

Arguments

| | |
|----------------------|--|
| <code>object</code> | an object of class 'arx' |
| <code>spec</code> | NULL (default), "mean", "variance" or "both". If NULL, then it is automatically determined whether information pertaining to the mean or variance specification should be returned |
| <code>n.ahead</code> | integer that determines how many steps ahead predictions should be generated (the default is 12) |

| | |
|----------------------------|--|
| <code>newmxreg</code> | a matrix of <code>n.ahead</code> rows and <code>NCOL(mxreg)</code> columns with the out-of-sample values of the <code>mxreg</code> regressors |
| <code>newvxreg</code> | a matrix of <code>n.ahead</code> rows and <code>NCOL(vxreg)</code> columns with the out-of-sample values of the <code>vxreg</code> regressors |
| <code>newindex</code> | NULL (default) or the date-index for the <code>zoo</code> object returned by <code>predict.arx</code> . If NULL, then the function uses the in-sample index to generate the out-of-sample index |
| <code>n.sim</code> | integer, the number of replications used for the generation of the forecasts |
| <code>innov</code> | NULL (default) or a vector of length <code>n.ahead * n.sim</code> containing the standardised errors (that is, zero mean and unit variance) used for the forecast simulations. If NULL, then a classical bootstrap procedure is used to draw from the standardised in-sample residuals |
| <code>probs</code> | NULL (default) or a vector with the quantile-levels (values strictly between 0 and 1) of the forecast distribution. If NULL, then no quantiles are returned unless <code>ci.levels</code> is non-NULL |
| <code>ci.levels</code> | NULL (default) or a vector with the confidence levels (expressed as values strictly between 0 and 1) of the forecast distribution. The upper and lower values of the confidence interval(s) are returned as quantiles |
| <code>quantile.type</code> | an integer between 1 and 9 that selects which algorithm to be used in computing the quantiles, see the argument <code>type</code> in quantile |
| <code>return</code> | logical. If TRUE (default), then the out-of-sample predictions are returned. The value FALSE, which does not return the predictions, may be of interest if only a prediction plot is of interest |
| <code>verbose</code> | logical with default FALSE. If TRUE, then additional information (typically the quantiles and/or the simulated series) used in the generation of forecasts is returned. If FALSE, then only the forecasts are returned |
| <code>plot</code> | NULL (default) or logical. If NULL, then the value set by <code>options\$plot</code> (see options) determines whether a plot is produced or not. If TRUE, then the out-of-sample forecasts are plotted. |
| <code>plot.options</code> | a list of options related to the plotting of forecasts, see 'Details' |
| <code>...</code> | additional arguments |

Details

The `plot.options` argument is a list that, optionally, can contain any of the following arguments:

- `keep`: integer greater than zero (the default is 12) that controls the number of in-sample actual values to plot
- `line.at.origin`: logical. If TRUE, then a vertical line is drawn at the forecast origin, that is, at the last in-sample observation
- `start.at.origin`: logical. If TRUE, then the drawing of the forecast line starts at the actual value of the forecast origin

- `dot.at.origin`: logical. If TRUE, then a dot is drawn at the forecast origin
- `hlines`: numeric vector that indicates where to draw grey horizontal grid lines
- `col`: numeric vector of length two that controls the colour of the plotted lines. The first value controls the colour of the forecasts and the fitted values, whereas the second controls the colour of the actual values
- `lty`: numeric vector of length two that controls the line type. The first value controls the line type of the forecast, whereas the second controls the line type of the actual and fitted values
- `lwd`: an integer that controls the width of the plotted lines (the default is 1)
- `ylim`: numeric vector of length two that contains the limits of the y-axis of the prediction plot
- `ylab`: a character that controls the text on the y-axis
- `main`: a character that controls the text in the overall title
- `legend.text`: a character vector of length two that controls how the forecast and actual lines should be named or referred to in the legend of the plot
- `fitted`: If TRUE, then the fitted values as well as actual values are plotted in-sample
- `newmactual`: numeric vector or NULL (default). Enables the plotting of actual values out-of-sample in the mean in addition to the forecasts
- `newvactual`: numeric vector or NULL (default). Enables the plotting of squared residuals ('actual values') out-of-sample in addition to the forecasts
- `shades`: numeric vector of length `length(ci.levels)` that contains the shades of grey associated with the confidence intervals in the prediction plot. The shades can range from 100 (white) to 0 (black)

Value

a vector of class `zoo` containing the out-of-sample forecasts, or a matrix of class `zoo` containing the out-of-sample forecasts together with prediction-quantiles, or NULL if `return=FALSE`

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>
James Reade, <https://sites.google.com/site/jjamesreade/>
Genaro Sucarrat, <http://www.sucarrat.net/>

See Also[arx](#)**Examples**

```

##simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 40)

##estimate AR(2) model with intercept:
mymod <- arx(y, mc=TRUE, ar=c(1,2))

##generate out-of-sample forecasts:
predict(mymod)

##same, but plot the predictions in addition:
#predict(mymod, plot=TRUE)

##same, but return also the quantiles of the confidence intervals:
#predict(mymod, ci.levels=c(0.50,0.90), plot=TRUE)

##same, but with non-default levels on the confidence intervals:
#predict(mymod, ci.levels=c(0.20,0.80, 0.99), plot=TRUE)

##same, but with more confidence intervals:
#predict(mymod, ci.levels=seq(0.20, 0.95, by=0.05), plot=TRUE)

##same, but with less rugged ci's (achieved by increasing n.sim):
##predict(mymod, ci.levels=seq(0.20, 0.95, by=0.05), n.sim=50000, plot=TRUE)

##same, but using standard normals (instead of bootstrap) in the simulations:
#n.sim <- 2000
#n.ahead <- 12 #the default on n.ahead
#predict(mymod, ci.levels=seq(0.20, 0.95, by=0.05), n.sim=n.sim,
# innov=rnorm(n.ahead*n.sim), plot=TRUE)

##make x-regressors:
x <- matrix(rnorm(40*3), 40, 3)

##estimate AR(1) model with intercept and covariates:
mymod <- arx(y, mc=TRUE, ar=1, mxreg=x)

##predict up to 5 steps ahead, setting x's to 0 out-of-sample:
predict(mymod, n.ahead=5, newmxreg=matrix(0,5,NCOL(x)))

##same, but do also plot:
#predict(mymod, n.ahead=5, newmxreg=matrix(0,5,NCOL(x)),
# plot=TRUE)

##estimate an AR(2) model w/intercept and a log-ARCH(1) specification
##on the variance:
#mymodel <- arx(y, mc=TRUE, ar=1:2, arch=1)

```

```

##generate forecasts of the conditional variances:
#predict(mymodel, spec="variance")

##same, but do also plot:
#predict(mymodel, spec="variance", plot=TRUE)

##illustrations of the usage of plot.options:
#mymodel <- arx(y, mc=TRUE, ar=1)
#predict(mymodel, plot=TRUE, plot.options=list(keep=1))
#predict(mymodel, plot=TRUE, plot.options=list(line.at.origin=TRUE))
#predict(mymodel, plot=TRUE, plot.options=list(start.at.origin=FALSE))
#predict(mymodel, plot=TRUE,
# plot.options=list(start.at.origin=FALSE, fitted=TRUE))
#predict(mymodel, plot=TRUE, plot.options=list(dot.at.origin=FALSE))
#predict(mymodel, plot=TRUE, plot.options=list(hlines=c(-2,-1,0,1,2)))
#predict(mymodel, plot=TRUE, plot.options=list(col=c("darkred","green")))
#predict(mymodel, plot=TRUE, plot.options=list(lty=c(3,2)))
#predict(mymodel, plot=TRUE, plot.options=list(lwd=3))
#predict(mymodel, plot=TRUE, plot.options=list(ylim=c(-8,8)))
#predict(mymodel, plot=TRUE, plot.options=list(ylab="User-specified y-axis"))
#predict(mymodel, plot=TRUE,
# plot.options=list(main="User-specified overall title"))
#predict(mymodel, plot=TRUE,
# plot.options=list(legend.text=c("User-specified 1","User-specified 2")))
#predict(mymodel, plot=TRUE, plot.options=list(fitted=TRUE))
#predict(mymodel, plot=TRUE, plot.options=list(newmactual=rep(0,6)))
#predict(mymodel, plot=TRUE, plot.options=list(shades.of.grey=c(95,50)))
#predict(mymodel, plot=TRUE, plot.options=list(shades.of.grey=c(50,95))) #invert shades

```

predict.larch

Variance forecasting with 'larch' models

Description

Generate out-of-sample variance forecasts up to `n` ahead steps ahead. Optionally, quantiles of the forecasts are also returned if the argument `probs` is specified. The forecasts, confidence intervals and quantiles are obtained via simulation. By default, 5000 simulations is used, but this can be changed via the `n.sim` argument. Also by default, the simulations uses a classical bootstrap to sample from the standardised residuals. To use an alternative set of standardised innovations, for example the standard normal, use the `innov` argument

Usage

```

## S3 method for class 'larch'
predict(object, n.ahead=12, newvxreg=NULL, newindex=NULL,
        n.sim=NULL, innov=NULL, probs=NULL, quantile.type=7, verbose = FALSE, ...)

```

Arguments

| | |
|---------------|---|
| object | an object of class 'larch' |
| n.ahead | integer that determines how many steps ahead predictions should be generated (the default is 12) |
| newvxreg | a matrix of n.ahead rows and NCOL(vxreg) columns with the out-of-sample values of the vxreg regressors |
| newindex | NULL (default) or the date-index for the zoo object returned by predict.larch. If NULL, then the function uses the in-sample index to generate the out-of-sample index |
| n.sim | NULL (default) or an integer, the number of replications used for the generation of the forecasts. If NULL, the number of simulations is determined internally (usually 5000) |
| innov | NULL (default) or a vector of length n.ahead * n.sim containing the standardised errors (i.e. mean zero and unit variance) used for the forecast simulations. If NULL, then a classic bootstrap procedure is used to draw from the standardised in-sample residuals |
| probs | NULL (default) or a vector with the quantile-levels (values strictly between 0 and 1) of the forecast distribution. If NULL, then no quantiles are returned |
| quantile.type | an integer between 1 and 9 that selects which algorithm to be used in computing the quantiles, see the argument type in quantile |
| verbose | logical with default FALSE. If TRUE, then additional information (typically the quantiles and/or the simulated series) used in the generation of forecasts is returned. If FALSE, then only the forecasts are returned |
| ... | additional arguments |

Details

No details for the moment.

Value

a vector of class [zoo](#) containing the out-of-sample forecasts, or a matrix of class [zoo](#) containing the out-of-sample forecasts together with additional information (e.g. the prediction-quantiles)

Author(s)

Genaro Sucarrat, <https://www.sucarrat.net/>

See Also

[larch](#)

Examples

```
##Simulate some data:
set.seed(123)
e <- rnorm(40)

##estimate log-ARCH(1) model:
mymod <- larch(e, arch=1)

##generate out-of-sample forecasts:
predict(mymod)

##same, but return also selected quantiles:
predict(mymod, probs=c(0.10,0.90))

##same, but using standard normals (instead of bootstrap) in the simulations:
n.sim <- 2000
n.ahead <- 12 #the default on n.ahead
predict(mymod, probs=c(0.10,0.90), n.sim=n.sim, innov=rnorm(n.ahead*n.sim))

##make x-regressors:
x <- matrix(rnorm(40*2), 40, 2)

##estimate log-ARCH(1) model w/covariates:
mymod <- larch(e, arch=1, vxreg=x)

##predict up to 5 steps ahead, setting x's to 0 out-of-sample:
predict(mymod, n.ahead=5, newvxreg=matrix(0,5,NCOL(x)))
```

printtex

Generate LaTeX code of an estimation result

Description

Convenience functions that generates LaTeX-code of an estimation result in equation-form. `printtex` can, in principle, be applied to any object for which `coef`, `vcov` and `logLik` methods exist. Note: The generated LaTeX-code contains an `eqnarray` environment, which requires that the `amsmath` package is loaded in the preamble of the LaTeX document.

Usage

```
printtex(x, fitted.name=NULL, xreg.names=NULL, digits=4,
         intercept=TRUE, gof=TRUE, diagnostics=TRUE, nonumber=FALSE,
         nobs="T", index="t", dec=NULL, print.info=TRUE)
## S3 method for class 'arx'
toLatex(object, ...)
## S3 method for class 'gets'
toLatex(object, ...)
```

Arguments

| | |
|-------------|--|
| x | an estimation result, e.g. <code>arx</code> , <code>gets</code> or <code>isat</code> object |
| object | an estimation result of class <code>arx</code> or <code>gets</code> |
| fitted.name | NULL or a user-specified name of left-hand side variable |
| xreg.names | NULL or a user-specified character vector with the names of regressors |
| digits | integer, the number of digits to be printed |
| intercept | logical or numeric. The argument determines whether one of the regressors is an intercept or not, or its location. If TRUE, then the intercept is assumed to be located at <code>coef(x)[1]</code> , and hence the regressor-name of location 1 is excluded from the print. If FALSE, then it is assumed that there is no intercept among the regressors. If numeric, then it is assumed that the regressors contain an intercept at the location equal to the numeric value |
| gof | logical, whether to include goodness-of-fit in the print |
| diagnostics | logical, whether to include diagnostics in the print |
| nonumber | logical, whether to remove or not (default) the equation-numbering |
| nobs | character, the notation to use to denote the number of observations |
| index | NULL or a <code>character</code> , only relevant if <code>fitted.name</code> is not NULL, and if the object in question is of class <code>arx</code> , <code>gets</code> or <code>isat</code> |
| dec | NULL or a <code>character</code> (for example <code>"."</code> , <code>","</code>). In the latter case, an attempt is made to replace the dot separator <code>.</code> with the character in <code>dec</code> |
| print.info | logical, whether to print the info at the start or not |
| ... | arguments passed on to <code>printtex</code> |

Details

`toLatex.arx` and `toLatex.gets` are simply wrappers to `printtex`

Value

LaTeX code of an estimation result

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`arx`, `logitx`, `getsm`, `getsv`, `isat`

Examples

```
##simulate random variates, estimate model:
y <- rnorm(30)
mX <- matrix(rnorm(30*2), 30, 2)
mymod <- arx(y, ar=1:3, mxreg=mX)

##print latex code of estimation result:
printtex(mymod)

##add intercept, at the end, to regressor matrix:
mX <- cbind(mX,1)
colnames(mX) <- c("xreg1", "xreg2", "intercept")
mymod <- arx(y, mc=FALSE, mxreg=mX)

##set intercept location to 3:
printtex(mymod, intercept=3)
```

recursive

Recursive estimation

Description

Recursive estimation of coefficients and standard errors

Usage

```
recursive(object, spec="mean", std.errors=TRUE, from=40, tol=1e-07,
  LAPACK=FALSE, plot=TRUE, return=TRUE)
```

Arguments

| | |
|------------|--|
| object | an arx , gets or isat object |
| spec | 'mean' or 'variance'. If 'mean' (default), the the recursive estimates of the mean-equation are estimated |
| std.errors | logical. If TRUE (default), then the coefficient standard errors are also computed |
| from | integer. The starting point of the recursion |
| tol | numeric. The tolerance for linear dependency among regressors |
| LAPACK | logical, TRUE or FALSE (default). If true use LAPACK otherwise use LINPACK, see qr function |
| plot | NULL or logical. If TRUE, then the recursive coefficient estimates are plotted. If NULL (default), then the value set by options determines whether a plot is produced or not. |
| return | logical. If TRUE (default), then the recursive estimates are returned in a list |

Value

If return=TRUE, then a `list` is returned with the following components:

```
estimates      a zoo matrix with the recursive estimates
standard.errors
                a zoo matrix with the standard errors
```

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`ols`, `qr`, `solve.qr`

Examples

```
##generate random variates, estimate model:
y <- rnorm(100)
mX <- matrix(rnorm(4*100), 100, 4)
mymodel <- arx(y, mc=TRUE, mxreg=mX)

##compute recursive estimates and plot them:
recursive(mymodel)
```

regressorsMean

Create the regressors of the mean equation

Description

The function generates the regressors of the mean equation in an `arx` model. The returned value is a matrix with the regressors and, by default, the regressand in column one. By default, observations (rows) with missing values are removed in the beginning and the end with `na.trim`, and the returned matrix is a `zoo` object.

Usage

```
regressorsMean(y, mc = FALSE, ar = NULL, ewma = NULL, mxreg = NULL,
  prefix="m", return.regressand = TRUE, return.as.zoo = TRUE, na.trim = TRUE,
  na.omit=FALSE)
```

Arguments

`y` numeric vector, time-series or `zoo` object.
`mc` logical. TRUE includes an intercept, whereas FALSE (default) does not.
`ar` either NULL (default) or an integer vector, say, `c(2,4)` or `1:4` with the AR-lags to include in the mean specification. If NULL, then no lags are included.

| | |
|-------------------|---|
| ewma | either NULL (default) or a list with arguments sent to the eqwma function. In the latter case a lagged moving average of y is included as a regressor. |
| mxreg | either NULL (default), numeric vector or matrix, say, a zoo object, or data.frame containing conditioning variables (covariates). Note that, if both y and mxreg are zoo objects, then their samples are matched. |
| prefix | character, possibly of length zero, e.g. "" or character(0). The prefix added to the constant and covariate labels. The default is "m", so that the default labels are "mconst" and "mxreg". |
| return.regressand | logical. TRUE, the default, includes the regressand as column one in the returned matrix. |
| return.as.zoo | TRUE, the default, returns the matrix as a zoo object. |
| na.trim | TRUE, the default, removes observations with NA-values in the beginning and the end with na.trim . |
| na.omit | TRUE, the non-default, removes observations with NA-values, not necessarily in the beginning or in the end, with na.omit . |

Value

A matrix, by default of class [zoo](#), with the regressand as column one (the default).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44. DOI: <https://www.jstatsoft.org/article/view/v086i03>

See Also

[arx](#), [isat](#), [regressorsVariance](#), [zoo](#), [eqwma](#), [na.trim](#) and [na.trim](#).

Examples

```
##generate some data:
y <- rnorm(10) #regressand
x <- matrix(rnorm(10*5), 10, 5) #regressors

##create regressors (examples):
regressorsMean(y, mxreg=x)
regressorsMean(y, mxreg=x, return.regressand=FALSE)
regressorsMean(y, mc=TRUE, ar=1:3, mxreg=x)
regressorsMean(log(y^2), mc=TRUE, ar=c(2,4))

##let y and x be time-series:
y <- ts(y, frequency=4, end=c(2018,4))
```

```

x <- ts(x, frequency=4, end=c(2018,4))
regressorsMean(y, mxreg=x)
regressorsMean(y, mc=TRUE, ar=1:3, mxreg=x)
regressorsMean(log(y^2), mc=TRUE, ar=c(2,4))

##missing values (NA):
y[1] <- NA
x[10,3] <- NA
regressorsMean(y, mxreg=x)
regressorsMean(y, mxreg=x, na.trim=FALSE)

```

regressorsVariance *Create regressors for a log-variance model*

Description

The function creates the regressors of a log-variance model, e.g. in a [arx](#) model. The returned value is a matrix with the regressors and, by default, the regressand in the first column. By default, observations (rows) with missing values are removed in the beginning and the end with [na.trim](#), and the returned matrix is a [zoo](#) object.

Usage

```

regressorsVariance(e, vc = TRUE, arch = NULL, harch = NULL, asym = NULL,
  asymind = NULL, log.ewma = NULL, vxreg = NULL, prefix = "v", zero.adj = NULL,
  vc.adj = TRUE, return.regressand = TRUE, return.as.zoo = TRUE, na.trim = TRUE,
  na.omit = FALSE)

```

Arguments

| | |
|----------|--|
| e | numeric vector, time-series or zoo object. |
| vc | logical. TRUE includes an intercept in the log-variance specification, whereas FALSE (default) does not. If the log-variance specification contains any other item but the log-variance intercept, then vc is set to TRUE. |
| arch | either NULL (default) or an integer vector, say, c(1,3) or 2:5. The log-ARCH lags to include in the log-variance specification. |
| harch | either NULL (default) or an integer vector, say, c(5,20). The log of heterogenous ARCH-terms as proposed by Muller et al. (1997). |
| asym | either NULL (default) or an integer vector, say, c(1) or 1:3. The asymmetry (i.e. 'leverage') terms to include in the log-variance specification. |
| asymind | either NULL (default) or an integer vector, say, c(1) or 1:3. The indicator ('binary') asymmetry terms to include in the log-variance specification. |
| log.ewma | either NULL (default) or a vector of the lengths of the volatility proxies, see leqwma . The log of heterogenous volatility proxies similar to those of Corsi (2009). |

| | |
|--------------------------------|---|
| <code>vxreg</code> | either NULL (default) or a numeric vector or matrix, say, a <code>zoo</code> object, of conditioning variables. If both <code>y</code> and <code>mxreg</code> are <code>zoo</code> objects, then their samples are chosen to match. |
| <code>prefix</code> | a character used as prefix in the labelling of the variables in <code>vxreg</code> and of the intercept. |
| <code>zero.adj</code> | NULL (default) or a strictly positive numeric scalar. If NULL, the zeros in the squared <code>e</code> 's are replaced by the 10 percent quantile of the non-zero squared <code>e</code> 's. If <code>zero.adj</code> is a strictly positive numeric scalar, then this value is used to replace the zeros of the squared <code>e</code> 's. |
| <code>vc.adj</code> | deprecated and ignored. |
| <code>return.regressand</code> | logical. TRUE (default) includes the regressand as column one in the returned matrix. |
| <code>return.as.zoo</code> | logical. TRUE (default) returns the matrix as a <code>zoo</code> object. |
| <code>na.trim</code> | logical. TRUE (default) removes observations with NA-values in the beginning and the end with <code>na.trim</code> . |
| <code>na.omit</code> | logical. FALSE (default) means NA-observations that are not in the beginning or at the end are kept (i.e. not omitted). TRUE removes with <code>na.omit</code> . |

Value

A matrix, by default of class `zoo`, with the regressand as column one (the default).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

- Corsi, Fulvio (2009): 'A Simple Approximate Long-Memory Model of Realized Volatility', *Journal of Financial Econometrics* 7, pp. 174-196
- Muller, Ulrich A., Dacorogna, Michel M., Dave, Rakhal D., Olsen, Richard B, Pictet, Olivier, Weizsaker, Jacob E. (1997): 'Volatilities of different time resolutions - Analyzing the dynamics of market components'. *Journal of Empirical Finance* 4, pp. 213-239
- Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44. DOI: <https://www.jstatsoft.org/article/view/v086i03>
- Sucarrat, Genaro and Escribano, Alvaro (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', *Oxford Bulletin of Economics and Statistics* 74, Issue 5 (October), pp. 716-735

See Also

`regressorsMean`, `arx`, `zoo`, `leqwma`, `na.trim` and `na.omit`.

Examples

```
##generate some data:
eps <- rnorm(10) #error term
x <- matrix(rnorm(10*5), 10, 5) #regressors

##create regressors (examples):
regressorsVariance(eps, vxreg=x)
regressorsVariance(eps, vxreg=x, return.regressand=FALSE)
regressorsVariance(eps, arch=1:3, vxreg=x)
regressorsVariance(eps, arch=1:2, asym=1, vxreg=x)
regressorsVariance(eps, arch=1:2, asym=1, log.ewma=5)

##example where eps and x are time-series:
eps <- ts(eps, frequency=4, end=c(2018,4))
x <- ts(x, frequency=4, end=c(2018,4))
regressorsVariance(eps, vxreg=x)
regressorsVariance(eps, arch=1:3, vxreg=x)
regressorsVariance(eps, arch=1:2, asym=1, vxreg=x)
regressorsVariance(eps, arch=1:2, asym=1, log.ewma=5)
```

so2data

*UK SO2 Data***Description**

UK Annual Total Anthropogenic Sulphur Dioxide (SO₂) Emissions 1946-2005.

Usage

```
data("so2data")
```

Format

A data frame with 60 observations on the following 4 variables.

year Year of observation

uk_tot_so2 UK annual total anthropogenic SO₂ emissions in gigagrams

Luk_tot_so2 Log of UK annual total anthropogenic SO₂ emissions

DLuk_tot_so2 First difference of Log UK annual total anthropogenic SO₂ emissions

Details

Data reports the total estimated anthropogenic SO₂ emissions aggregated over coal, petroleum, biomass combustion, smelting, fuel processing, and other processes.

Source

Smith, SJ, J van Aardenne, Z Klimont, RJ Andres, A Volke, and S Delgado Arias. (2011). Anthropogenic Sulfur Dioxide Emissions, 1850-2005: National and Regional Data Set by Source Category, Version 2.86. Data distributed by the NASA Socioeconomic Data and Applications Center (SEDAC), CIESIN, Columbia University, Palisades, New York. Available at

<http://sedac.ciesin.columbia.edu/data/set/haso2-anthro-sulfur-dioxide-emissions-1850-2005-v2-86>

References

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

Smith, SJ, J van Aardenne, Z Klimont, RJ Andres, A Volke, and S Delgado Arias. (2011). Anthropogenic Sulfur Dioxide Emissions: 1850-2005, *Atmospheric Chemistry and Physics*, 11:1101-1116.

Examples

```
data(so2data)

##create annual zoo object:
newso2data<- zooreg(so2data[,-1], start=1946, frequency=1)

##plot UK annual total anthropogenic S02 emissions:
plot(newso2data$uk_tot_so2)
```

sp500data

Daily Standard and Poor's 500 index data

Description

Daily Standard and Poor's 500 (SP500) index data from 3 January 1950 to 8 March 2016.

Usage

```
data("sp500data")
```

Format

A data frame with 16652 observations on the following 7 variables:

Date the dates

Open the opening values of the index

High the daily maximum value of the index

Low the daily minimum value of the index

Close the closing values of the index
 Volume the traded volume
 Adj.Close the adjusted closing values of the index

Source

Yahoo Finance, retrieved 9 March 2016

References

Pretis, Felix, Reade, James and Sucarrat, Genaro (2018): 'Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks'. *Journal of Statistical Software* 86, Number 3, pp. 1-44

Examples

```
data(sp500data)
sp500data <- zoo(sp500data[, -1], order.by = as.Date(sp500data[, "Date"]))
plot(window(sp500data, start = as.Date("2000-01-03")))
```

vargaugeiis

Variance of the Impulse Indicator Saturation Gauge

Description

Computes the variance of the gauge (false-positive rate of outliers under the null of no outliers) in impulse indicator saturation based on Jiao and Pretis (2019).

Usage

```
vargaugeiis(t.pval, T, infty=FALSE, m=1)
```

Arguments

| | |
|--------|---|
| t.pval | numeric, between 0 and 1. Selection p-value used in indicator saturation. |
| T | integer, sample sized used in indicator saturation. |
| m | integer, number of iterations in variance computation, default=1 |
| infty | logical, argument used for variance computation |

Details

The function computes the variance of the Gauge (false-positive rate of outliers in impulse indicator saturation) for a given level of significance of selection (t.pval) and sample size (T) based on Jiao and Pretis (2019). This is an auxilliary function used within the [outliertest](#) function.

Value

Returns a dataframe of the variance and standard deviation of the gauge, as well the asymptotic variance and standard deviation.

Author(s)

Felix Pretis, <https://felixpretis.climateeconometrics.org/>

References

Jiao, X. & Pretis, F. (2019). Testing the Presence of Outliers in Regression Models. Discussion Paper.

Pretis, F., Reade, J., & Sucarrat, G. (2018). Automated General-to-Specific (GETS) regression modeling and indicator saturation methods for the detection of outliers and structural breaks. *Journal of Statistical Software*, 86(3).

See Also

[isat](#), [outliertest](#)

Examples

```
###Computing the variance of the gauge under the null for a sample of T=200 observations:  
vargaugeiis(t.pval=0.05, T=200, infty=FALSE, m=1)
```

Index

* Climate Econometrics

- arx, [6](#)
- as.arx, [9](#)
- blocksFun, [13](#)
- coef.larch, [26](#)
- coef.logitx, [28](#)
- diagnostics, [30](#)
- distorttest, [32](#)
- distorttestboot, [34](#)
- gets, [41](#)
- gets-package, [3](#)
- gets.isat, [42](#)
- gets.larch, [44](#)
- gets.lm, [48](#)
- gets.logitx, [49](#)
- getsFun, [51](#)
- isat, [66](#)
- larch, [81](#)
- larchEstfun, [84](#)
- logit, [85](#)
- logitx, [86](#)
- logitxSim, [88](#)
- ols, [91](#)
- predict.larch, [101](#)
- printtex, [103](#)

* Econometrics

- arx, [6](#)
- as.arx, [9](#)
- as.lm, [10](#)
- biascorr, [11](#)
- blocksFun, [13](#)
- coef.arx, [16](#)
- coef.gets, [19](#)
- coef.isat, [23](#)
- coef.larch, [26](#)
- coef.logitx, [28](#)
- diagnostics, [30](#)
- distorttest, [32](#)
- distorttestboot, [34](#)

- dropvar, [36](#)
- eqwma, [37](#)
- ES, [39](#)
- eviews, [40](#)
- gets, [41](#)
- gets-package, [3](#)
- gets.isat, [42](#)
- gets.larch, [44](#)
- gets.lm, [48](#)
- gets.logitx, [49](#)
- getsFun, [51](#)
- getsm, [55](#)
- gmm, [59](#)
- hpdata, [61](#)
- iim, [62](#)
- infldata, [64](#)
- infocrit, [65](#)
- isat, [66](#)
- isatdates, [71](#)
- isatloop, [72](#)
- isatatest, [73](#)
- isatvar, [76](#)
- isatvarcorrect, [78](#)
- isvarcor, [79](#)
- isvareffcor, [80](#)
- larch, [81](#)
- larchEstfun, [84](#)
- logit, [85](#)
- logitx, [86](#)
- logitxSim, [88](#)
- mvrnormsim, [90](#)
- ols, [91](#)
- outlierscaletest, [92](#)
- outliertest, [93](#)
- paths, [95](#)
- periodicdummies, [96](#)
- predict.arx, [97](#)
- predict.larch, [101](#)
- printtex, [103](#)

- recursive, 105
- regressorsMean, 106
- regressorsVariance, 108
- vargaugeiis, 112
- * Financial Econometrics**
 - arx, 6
 - as.arx, 9
 - as.lm, 10
 - biascorr, 11
 - blocksFun, 13
 - coef.arx, 16
 - coef.gets, 19
 - coef.isat, 23
 - coef.larch, 26
 - coef.logitx, 28
 - diagnostics, 30
 - distorttest, 32
 - distorttestboot, 34
 - dropvar, 36
 - eqwma, 37
 - ES, 39
 - eviews, 40
 - gets, 41
 - gets-package, 3
 - gets.isat, 42
 - gets.larch, 44
 - gets.lm, 48
 - gets.logitx, 49
 - getsFun, 51
 - getsm, 55
 - gmm, 59
 - hpdata, 61
 - iim, 62
 - infocrit, 65
 - isat, 66
 - isatdates, 71
 - isatloop, 72
 - isatatest, 73
 - isatvar, 76
 - isatvarcorrect, 78
 - isvarcor, 79
 - isvareffcor, 80
 - larch, 81
 - larchEstfun, 84
 - logit, 85
 - logitx, 86
 - logitxSim, 88
 - mvrnormsim, 90
 - ols, 91
 - outlierscaletest, 92
 - outliertest, 93
 - paths, 95
 - periodicdummies, 96
 - predict.arx, 97
 - predict.larch, 101
 - printtex, 103
 - recursive, 105
 - regressorsMean, 106
 - regressorsVariance, 108
 - vargaugeiis, 112
- * Statistical Models**
 - arx, 6
 - as.arx, 9
 - as.lm, 10
 - biascorr, 11
 - blocksFun, 13
 - coef.arx, 16
 - coef.gets, 19
 - coef.isat, 23
 - coef.larch, 26
 - coef.logitx, 28
 - diagnostics, 30
 - distorttest, 32
 - distorttestboot, 34
 - dropvar, 36
 - eqwma, 37
 - ES, 39
 - eviews, 40
 - gets, 41
 - gets-package, 3
 - gets.isat, 42
 - gets.larch, 44
 - gets.lm, 48
 - gets.logitx, 49
 - getsFun, 51
 - getsm, 55
 - gmm, 59
 - iim, 62
 - infldata, 64
 - infocrit, 65
 - isat, 66
 - isatdates, 71
 - isatloop, 72
 - isatatest, 73
 - isatvar, 76
 - isatvarcorrect, 78

- isvarcor, 79
- isvareffcor, 80
- larch, 81
- larchEstfun, 84
- logit, 85
- logitx, 86
- logitxSim, 88
- mvrnormsim, 90
- ols, 91
- outlierscaletest, 92
- outliertest, 93
- paths, 95
- periodicdummies, 96
- predict.arx, 97
- predict.larch, 101
- printtex, 103
- recursive, 105
- regressorsMean, 106
- regressorsVariance, 108
- vargaugeiis, 112
- * Time Series**
 - arx, 6
 - as.arx, 9
 - as.lm, 10
 - biacorr, 11
 - blocksFun, 13
 - coef.arx, 16
 - coef.gets, 19
 - coef.isat, 23
 - coef.larch, 26
 - coef.logitx, 28
 - diagnostics, 30
 - distorttest, 32
 - distorttestboot, 34
 - dropvar, 36
 - eqwma, 37
 - ES, 39
 - eviews, 40
 - gets, 41
 - gets-package, 3
 - gets.isat, 42
 - gets.larch, 44
 - gets.lm, 48
 - gets.logitx, 49
 - getsFun, 51
 - getsm, 55
 - gmm, 59
 - hpdata, 61
 - iim, 62
 - infldata, 64
 - infocrit, 65
 - isat, 66
 - isatdates, 71
 - isatloop, 72
 - isatatest, 73
 - isatvar, 76
 - isatvarcorrect, 78
 - isvarcor, 79
 - isvareffcor, 80
 - larch, 81
 - larchEstfun, 84
 - logit, 85
 - logitx, 86
 - logitxSim, 88
 - mvrnormsim, 90
 - ols, 91
 - outlierscaletest, 92
 - outliertest, 93
 - paths, 95
 - periodicdummies, 96
 - predict.arx, 97
 - predict.larch, 101
 - printtex, 103
 - recursive, 105
 - regressorsMean, 106
 - regressorsVariance, 108
 - vargaugeiis, 112
- * datasets**
 - hpdata, 61
 - infldata, 64
 - so2data, 110
 - sp500data, 111
- * emissions**
 - so2data, 110
- .lm.fit, 91, 92
- AIC, 65
- alarm, 46
- arx, 3–5, 6, 9–11, 17, 25, 30, 31, 38–40, 58, 67, 70, 91, 92, 97, 100, 104–109
- as.arx, 9
- as.lm, 10
- biacorr, 11, 74, 75, 77
- BIC, 65
- blocksFun, 4, 5, 13, 30, 31, 42, 51

- character, [104](#)
- coef.arx, [8](#), [16](#)
- coef.gets, [12](#), [19](#), [25](#), [58](#), [75](#), [77](#)
- coef.isat, [23](#), [70](#)
- coef.larch, [26](#), [47](#), [83](#)
- coef.logitx, [28](#), [50](#), [88](#)
- data.frame, [30](#), [31](#), [107](#)
- diagnostics, [7](#), [15](#), [30](#), [43](#), [45](#), [46](#), [53](#), [54](#), [56](#), [57](#), [68](#)
- distorttest, [32](#), [34](#), [35](#)
- distorttestboot, [33](#), [34](#)
- dlogitx (logitx), [86](#)
- dlogitxSim (logitxSim), [88](#)
- do.call, [30](#), [53](#)
- dropvar, [36](#), [87](#)
- eqwma, [6](#), [37](#), [47](#), [58](#), [67](#), [70](#), [87](#), [107](#)
- ES, [8](#), [39](#), [47](#), [83](#)
- eviews, [40](#)
- fitted.arx, [8](#)
- fitted.arx (coef.arx), [16](#)
- fitted.gets, [58](#)
- fitted.gets (coef.gets), [19](#)
- fitted.isat, [70](#)
- fitted.isat (coef.isat), [23](#)
- fitted.larch, [47](#), [83](#)
- fitted.larch (coef.larch), [26](#)
- fitted.logitx, [88](#)
- fitted.logitx (coef.logitx), [28](#)
- gets, [10](#), [11](#), [21](#), [41](#), [44](#), [104](#)
- gets-package, [3](#)
- gets.arx, [3](#), [5](#)
- gets.isat, [41](#), [42](#)
- gets.larch, [44](#), [47](#), [83–85](#)
- gets.lm, [3](#), [41](#), [48](#)
- gets.logitx, [4](#), [29](#), [41](#), [49](#), [88](#)
- getsFun, [4](#), [5](#), [8](#), [14](#), [15](#), [30](#), [31](#), [42–50](#), [51](#), [56–58](#), [68](#), [70](#)
- getsm, [5](#), [8](#), [21](#), [25](#), [30](#), [31](#), [38–42](#), [44](#), [48](#), [51](#), [55](#), [66](#), [69](#), [95](#), [104](#)
- getsv, [5](#), [8](#), [21](#), [30](#), [31](#), [38–42](#), [51](#), [54](#), [95](#), [104](#)
- getsv (getsm), [55](#)
- gmm, [59](#)
- hpdata, [61](#)
- iim, [62](#)
- infldata, [64](#)
- info.criterion (infocrit), [65](#)
- infocrit, [15](#), [43](#), [45](#), [54](#), [56](#), [65](#)
- is.regular, [97](#)
- isat, [3–5](#), [8](#), [10–12](#), [15](#), [21](#), [24](#), [30–36](#), [40](#), [42](#), [44](#), [51](#), [63](#), [66](#), [66](#), [71–79](#), [93–95](#), [104](#), [107](#), [113](#)
- isatdates, [71](#)
- isatloop, [72](#), [92](#), [93](#)
- isattest, [12](#), [73](#), [77](#)
- isatvar, [12](#), [75](#), [76](#), [80](#), [81](#)
- isatvarcorrect, [78](#)
- isvarcor, [78](#), [79](#), [79](#)
- isvareffcor, [78](#), [79](#), [80](#)
- larch, [27](#), [44](#), [47](#), [81](#), [84](#), [85](#), [102](#)
- larchEstfun, [81](#), [84](#)
- leqwma, [7](#), [47](#), [58](#), [70](#), [82](#), [108](#), [109](#)
- leqwma (eqwma), [37](#)
- list, [6](#), [7](#), [15](#), [30](#), [43](#), [45](#), [53](#), [56](#), [68](#), [84](#), [86](#), [87](#), [91](#), [95](#), [106](#), [107](#)
- lm, [9–11](#), [48](#), [67](#)
- logit, [85](#), [88](#)
- logitx, [4](#), [29](#), [49](#), [50](#), [86](#), [89](#), [104](#)
- logitxSim, [29](#), [50](#), [88](#), [88](#)
- logLik.arx (coef.arx), [16](#)
- logLik.gets (coef.gets), [19](#)
- logLik.isat (coef.isat), [23](#)
- logLik.larch, [47](#), [83](#)
- logLik.larch (coef.larch), [26](#)
- logLik.logitx, [88](#)
- logLik.logitx (coef.logitx), [28](#)
- model.matrix, [27](#)
- model.matrix.arx (coef.arx), [16](#)
- model.matrix.larch (coef.larch), [26](#)
- mvrnormsim, [90](#)
- na.omit, [107](#), [109](#)
- na.trim, [6](#), [67](#), [72](#), [82](#), [87](#), [106–109](#)
- nlminb, [85–88](#)
- nobs.arx (coef.arx), [16](#)
- nobs.larch, [47](#), [83](#)
- nobs.larch (coef.larch), [26](#)
- numeric, [95](#)
- ols, [13](#), [15](#), [30](#), [51](#), [53](#), [54](#), [60](#), [82](#), [84](#), [91](#), [91](#), [106](#)
- options, [7](#), [20](#), [24](#), [44](#), [46](#), [50](#), [57](#), [69](#), [82](#), [87](#), [98](#), [105](#)

- outlierscaletest, [72](#), [73](#), [90](#), [91](#), [92](#)
- outliertest, [93](#), [112](#), [113](#)
- paths, [25](#), [44](#), [48](#), [58](#), [70](#), [95](#)
- periodicdummies, [96](#)
- plot.arx, [8](#)
- plot.arx (coef.arx), [16](#)
- plot.gets, [12](#), [58](#), [75](#), [77](#)
- plot.gets (coef.gets), [19](#)
- plot.isat, [70](#)
- plot.isat (coef.isat), [23](#)
- plot.larch, [47](#), [83](#)
- plot.larch (coef.larch), [26](#)
- plot.logitx, [88](#)
- plot.logitx (coef.logitx), [28](#)
- predict.arx, [21](#), [24](#), [97](#)
- predict.gets (coef.gets), [19](#)
- predict.isat (coef.isat), [23](#)
- predict.larch, [47](#), [83](#), [101](#)
- print.arx, [8](#)
- print.arx (coef.arx), [16](#)
- print.distorttestboot
(distorttestboot), [34](#)
- print.gets, [58](#)
- print.gets (coef.gets), [19](#)
- print.isat, [70](#)
- print.isat (coef.isat), [23](#)
- print.larch, [47](#), [83](#)
- print.larch (coef.larch), [26](#)
- print.logitx, [88](#)
- print.logitx (coef.logitx), [28](#)
- printCoefmat, [17](#), [20](#), [24](#), [26](#), [29](#)
- printtex, [103](#)
- qr, [7](#), [36](#), [69](#), [82](#), [85](#), [92](#), [105](#), [106](#)
- qr.solve, [15](#), [43](#), [46](#), [47](#), [53](#), [57](#), [58](#)
- quantile, [20](#), [24](#), [98](#), [102](#)
- recursive, [8](#), [105](#)
- regressorsMean, [106](#), [109](#)
- regressorsVariance, [47](#), [83](#), [107](#), [108](#)
- residuals.arx, [8](#)
- residuals.arx (coef.arx), [16](#)
- residuals.gets, [58](#)
- residuals.gets (coef.gets), [19](#)
- residuals.isat, [70](#)
- residuals.isat (coef.isat), [23](#)
- residuals.larch, [47](#), [83](#)
- residuals.larch (coef.larch), [26](#)
- rsquared, [8](#)
- rsquared (paths), [95](#)
- seasonaldummy, [96](#)
- sigma.arx, [8](#)
- sigma.arx (coef.arx), [16](#)
- sigma.gets (coef.gets), [19](#)
- sigma.isat (coef.isat), [23](#)
- sim(iim), [62](#)
- so2data, [110](#)
- solve, [59](#), [60](#), [86](#), [87](#)
- solve.qr, [92](#), [106](#)
- sp500data, [111](#)
- stata (eviews), [40](#)
- summary.arx, [8](#)
- summary.arx (coef.arx), [16](#)
- summary.gets, [58](#)
- summary.gets (coef.gets), [19](#)
- summary.isat, [70](#)
- summary.isat (coef.isat), [23](#)
- summary.larch, [47](#), [83](#)
- summary.larch (coef.larch), [26](#)
- summary.logitx, [88](#)
- summary.logitx (coef.logitx), [28](#)
- terminals, [25](#), [44](#), [48](#), [58](#), [70](#)
- terminals (paths), [95](#)
- tim(iim), [62](#)
- toLatex.arx (printtex), [103](#)
- toLatex.gets (printtex), [103](#)
- toLatex.larch, [47](#), [83](#)
- toLatex.larch (coef.larch), [26](#)
- toLatex.logitx, [88](#)
- toLatex.logitx (coef.logitx), [28](#)
- ts, [97](#)
- VaR, [8](#), [47](#), [83](#)
- VaR (ES), [39](#)
- vargaugeiis, [112](#)
- vcov.arx, [8](#), [47](#), [83](#)
- vcov.arx (coef.arx), [16](#)
- vcov.gets, [58](#)
- vcov.gets (coef.gets), [19](#)
- vcov.isat, [70](#)
- vcov.isat (coef.isat), [23](#)
- vcov.larch (coef.larch), [26](#)
- vcov.logitx, [88](#)
- vcov.logitx (coef.logitx), [28](#)

zoo, *6, 7, 17, 20, 21, 23, 24, 26, 27, 37, 38, 47,*
58, 63, 67, 70, 72, 82, 87, 89, 96–99,
102, 106–109
zooreg, *97*